Doepke

TRADE PRICES: APRIL 2021

The Safest Way to use electricity



Circuit Protection
Distribution Equipment
Power Switching
Control & Monitoring

A subsiduary of:
Doepke Schaltgeräte GmbH
Stellmacherstraße 11
26506 Norden, Germany

Residual Current Devices

Residual Current Devices (RCCBs) Type A, F, AKV & AC

Amps	Sensitivity	2 Pole 2 Module Reference	Type: A Price £ Each	Type: F Price £ Each	Type: AKV Price £ Each	Type: AC Price £ Each
16	10mA	DFS2-016-2/0.01	58.60	N/A	POA	53.30
16	30mA	DFS2-016-2/0.03	58.60	99.10	99.10	53.30
16	100mA	DFS2-016-2/0.10	58.60	99.10	99.10	53.30
16	300mA	DFS2-016-2/0.30	58.60	99.10	99.10	53.30
16	500mA	DFS2-016-2/0.50	58.60	99.10	POA	N/A
25	30mA	DFS2-025-2/0.03	58.60	99.10	99.10	53.30
25	100mA	DFS2-025-2/0.10	58.60	99.10	99.10	53.30
25	300mA	DFS2-025-2/0.30	58.60	99.10	99.10	53.30
25	500mA	DFS2-025-2/0.50	58.60	99.10	POA	N/A
40	10mA	DFS2-040-2/0.01	62.10	N/A	POA	56.45
40	30mA	DFS2-040-2/0.03	62.10	104.95	104.95	56.45
40	100mA	DFS2-040-2/0.10	62.10	104.95	104.95	56.45
40	300mA	DFS2-040-2/0.30	62.10	104.95	104.95	56.45
40	500mA	DFS2-040-2/0.50	62.10	104.95	POA	N/A
63	30mA	DFS2-063-2/0.03	74.25	125.50	125.50	67.60
63	100mA	DFS2-063-2/0.10	74.25	125.50	125.50	67.60
63	300mA	DFS2-063-2/0.30	74.25	125.50	125.50	67.60
63	500mA	DFS2-063-2/0.50	74.25	125.50	POA	67.60
80	30mA	DFS2-080-2/0.03	90.05	152.25	152.25	81.90
80	100mA	DFS2-080-2/0.10	90.05	152.25	152.25	81.90
80	300mA	DFS2-080-2/0.30	90.05	152.25	152.25	81.90
80	500mA	DFS2-080-2/0.50	90.05	152.25	POA	N/A
100	30mA	DFS2-100-2/0.03	96.60	163.30	163.30	87.80
100	100mA	DFS2-100-2/0.10	96.60	163.30	163.30	87.80
100	300mA	DFS2-100-2/0.30	96.60	163.30	163.30	87.80
100	500mA	DFS2-100-2/0.50	96.60	163.30	POA	N/A
125	30mA	DFS2-125-2/0.03	129.70	219.15	219.15	117.85
125	100mA	DFS2-125-2/0.10	129.70	219.15	219.15	117.85
125	300mA	DFS2-125-2/0.30	129.70	219.15	219.15	117.85
125	500mA	DFS2-125-2/0.50	129.70	219.15	POA	117.85

4 Pole 4 Module Reference	Type: A Price £ Each	Type: F Price £ Each	Type: AKV Price £ Each	Type: AC Price £ Each
DFS4-016-4/0.01	67.60	N/A	POA	56.30
DFS4-016-4/0.03	67.60	131.80	131.80	56.30
DFS4-016-4/0.10	67.60	131.80	131.80	N/A
DFS4-016-4/0.30	67.60	131.80	131.80	56.30
DFS4-016-4/0.50	67.60	131.80	POA	N/A
DFS4-025-4/0.03	67.60	131.80	131.80	56.30
DFS4-025-4/0.10	67.60	131.80	131.80	56.30
DFS4-025-4/0.30	67.60	131.80	131.80	56.30
DFS4-025-4/0.50	67.60	131.80	POA	56.30
DFS4-040-4/0.01	N/A	N/A	N/A	N/A
DFS4-040-4/0.03	86.40	168.60	168.60	72.00
DFS4-040-4/0.10	86.40	168.60	168.60	72.00
DFS4-040-4/0.30	86.40	168.60	168.60	72.00
DFS4-040-4/0.50	86.40	168.60	POA	72.00
DFS4-063-4/0.03	93.65	182.70	182.70	78.05
DFS4-063-4/0.10	93.65	182.70	182.70	78.05
DFS4-063-4/0.30	93.65	182.70	182.70	78.05
DFS4-063-4/0.50	93.65	182.70	POA	78.05
DFS4-080-4/0.03	112.55	219.45	219.45	93.85
DFS4-080-4/0.10	112.55	219.45	219.45	93.85
DFS4-080-4/0.30	112.55	219.45	219.45	93.85
DFS4-080-4/0.50	112.55	219.45	POA	93.85
DFS4-100-4/0.03	179.15	349.35	349.35	149.35
DFS4-100-4/0.10	179.15	349.35	349.35	149.35
DFS4-100-4/0.30	179.15	349.35	349.35	149.35
DFS4-100-4/0.50	179.15	349.35	POA	149.35
DFS4-125-4/0.03	338.45	660.00	660.00	282.05
DFS4-125-4/0.10	338.45	660.00	660.00	282.05
DFS4-125-4/0.30	338.45	660.00	660.00	282.05
DFS4-125-4/0.50	338.45	660.00	POA	282.05

Note: When ordering add **'-A'** , **'-F'**, **'-AKV'** or **'-AC'** to the basic reference

Time Delay RCCBs Type AS

Amps	Sensitivity	2 Pole 2 Module Reference	Price £ Each
40	100mA	DFS2-040-2/0.10-AS	87.20
40	300mA	DFS2-040-2/0.30-AS	87.20
40	500mA	DFS2-040-2/0.50-AS	87.20
40	1000mA	DFS2-040-2/1.00-AS	N/A
63	100mA	DFS2-063-2/0.10-AS	87.20
63	300mA	DFS2-063-2/0.30-AS	87.20
63	500mA	DFS2-063-2/0.50-AS	87.20
63	1000mA	DFS2-063-2/1.00-AS	N/A
80	100mA	DFS2-080-2/0.10-AS	101.85
80	300mA	DFS2-080-2/0.30-AS	101.85
80	500mA	DFS2-080-2/0.50-AS	101.85
80	1000mA	DFS2-080-2/1.00-AS	N/A
100	100mA	DFS2-100-2/0.10-AS	101.85
100	300mA	DFS2-100-2/0.30-AS	101.85
100	500mA	DFS2-100-2/0.50-AS	101.85
100	1000mA	DFS2-100-2/1.00-AS	N/A
125	100mA	DFS2-125-2/0.10-AS	N/A
125	300mA	DFS2-125-2/0.30-AS	159.75
125	500mA	DFS2-125-2/0.50-AS	N/A
125	1000mA	DFS2-125-2/1.00-AS	N/A

4 Pole 4 Module Reference	Price £ Each
DFS4-040-4/0.10-AS	103.45
DFS4-040-4/0.30-AS	103.45
DFS4-040-4/0.50-AS	103.45
DFS4-040-4/1.00-AS	103.45
DFS4-063-4/0.10-AS	103.45
DFS4-063-4/0.30-AS	103.45
DFS4-063-4/0.50-AS	103.45
DFS4-063-4/1.00-AS	103.45
DFS4-080-4/0.10-AS	169.75
DFS4-080-4/0.30-AS	169.75
DFS4-080-4/0.50-AS	169.75
DFS4-080-4/1.00-AS	169.75
DFS4-100-4/0.10-AS	169.75
DFS4-100-4/0.30-AS	169.75
DFS4-100-4/0.50-AS	169.75
DFS4-100-4/1.00-AS	169.75
DFS4-125-4/0.10-AS	395.10
DFS4-125-4/0.30-AS	395.10
DFS4-125-4/0.50-AS	395.10
DFS4-125-4/1.00-AS	395.10

Residual Current Devices

Doepke

Residual Current Devices (RCCBs) Type B NK & B SK

Amps	Sensitivity	2 Pole 4 Module Reference	NK Price £ Each	SK Price £ Each	4 Pole 4 Module Reference	NK Price £ Each	SK Price £ Each	2 Pole 2 Module Reference	NK Price £ Each	SK Price £ Each
16	30mA	DFS4-016-2/0.03-BXX	464.95	419.10	DFS4-016-4/0.03-BXX	643.75	592.35	DFS2-016-2/0.03-BXX	464.95	419.10
16	100mA	DFS4-016-2/0.10-BXX	464.95	419.10	DFS4-016-4/0.10-BXX	643.75	592.35			
16	300mA	DFS4-016-2/0.30-BXX	406.50	365.25	DFS4-016-4/0.30-BXX	582.85	537.00	DFS2-016-2/0.30-BXX	406.50	365.25
16	500mA	DFS4-016-2/0.50-BXX	N/A	419.10	DFS4-016-4/0.50-BXX	N/A	592.35			
25	30mA	DFS4-025-2/0.03-BXX	464.95	419.10	DFS4-025-4/0.03-BXX	643.75	592.35	DFS2-025-2/0.03-BXX	464.95	419.10
25	100mA	DFS4-025-2/0.10-BXX	464.95	419.10	DFS4-025-4/0.10-BXX	643.75	592.35			
25	300mA	DFS4-025-2/0.30-BXX	406.50	365.25	DFS4-025-4/0.30-BXX	582.85	537.00	DFS2-025-2/0.30-BXX	406.50	365.25
25	500mA	DFS4-025-2/0.50-BXX	N/A	419.10	DFS4-025-4/0.50-BXX	N/A	592.35			
40	30mA	DFS4-040-2/0.03-BXX	490.60	441.80	DFS4-040-4/0.03-BXX	668.95	614.55	DFS2-040-2/0.03-BXX	490.60	441.80
40	100mA	DFS4-040-2/0.10-BXX	490.60	441.80	DFS4-040-4/0.10-BXX	668.95	614.55			
40	300mA	DFS4-040-2/0.30-BXX	424.15	381.80	DFS4-040-4/0.30-BXX	602.50	554.65	DFS2-040-2/0.30-BXX	424.15	381.80
40	500mA	DFS4-040-2/0.50-BXX	N/A	441.80	DFS4-040-4/0.50-BXX	N/A	614.55			
63	30mA	DFS4-063-2/0.03-BXX	734.95	667.95	DFS4-063-4/0.03-BXX	912.25	840.80	DFS2-063-2/0.03-BXX	734.95	667.95
63	100mA	DFS4-063-2/0.10-BXX	734.95	667.95	DFS4-063-4/0.10-BXX	912.25	840.80			
63	300mA	DFS4-063-2/0.30-BXX	649.85	588.85	DFS4-063-4/0.30-BXX	827.15	761.10	DFS2-063-2/0.30-BXX	649.85	588.85
63	500mA	DFS4-063-2/0.50-BXX	N/A	667.95	DFS4-063-4/0.50-BXX	N/A	840.80			
80	30mA	DFS4-080-2/0.03-BXX	1072.95	979.75	DFS4-080-4/0.03-BXX	1251.30	1152.05	DFS2-080-2/0.03-BXX	1072.95	979.75
80	100mA	DFS4-080-2/0.10-BXX	1072.95	979.75	DFS4-080-4/0.10-BXX	1251.30	1152.05			
80	300mA	DFS4-080-2/0.30-BXX	956.10	873.00	DFS4-080-4/0.30-BXX	1134.45	1044.20	DFS2-080-2/0.30-BXX	956.10	873.00
80	500mA	DFS4-080-2/0.50-BXX	N/A	979.75	DFS4-080-4/0.50-BXX	N/A	1152.05			
100	30mA	DFS4-100-2/0.03-BXX	1900.05	1776.10	DFS4-100-4/0.03-BXX	2072.35	1942.45			
100	100mA	DFS4-100-2/0.10-BXX	1900.05	1776.10	DFS4-100-4/0.10-BXX	2072.35	1942.45			
100	300mA	DFS4-100-2/0.30-BXX	1401.35	1310.70	DFS4-100-4/0.30-BXX	1574.70	1476.90			
100	500mA	DFS4-100-2/0.50-BXX	N/A	1776.10	DFS4-100-4/0.50-BXX	N/A	1942.45			
125	30mA	DFS4-125-2/0.03-BXX	1939.40	1869.85	DFS4-125-4/0.03-BXX	2111.60	2042.10			
125	100mA	DFS4-125-2/0.10-BXX	1939.40	1869.85	DFS4-125-4/0.10-BXX	2111.60	2042.10			
125	300mA	DFS4-125-2/0.30-BXX	1441.65	1389.30	DFS4-125-4/0.30-BXX	1613.95	1560.55			
125	500mA	DFS4-125-2/0.50-BXX	N/A	1869.85	DFS4-125-4/0.50-BXX	N/A	2042.10			

Note: When ordering substitute **'NK'** or **'SK'** for 'XX'

Residual Current Devices (RCCBs) Type AEV

Amps	Sensitivity	Modules	Poles	Reference	£ Each
25	30mA	4	2	DFS4-25-2/0.03-A-EV	305.55
40	30mA	4	2	DFS4-40-2/0.03-A-EV	343.35
40	30mA	4	4	DFS4-40-4/0.03-A-EV	351.90
63	30mA	4	4	DFS4-63-4/0.03-A-EV	531.25
80	30mA	4	4	DFS4-80-4/0.03-A-EV	715.00

RCCB Accessories

RCCB Auxiliary Switches

Module	Description	Reference	Price £ Each
0.5	1 N/C + 1 C/O	DHI-11	23.50

RCCB Accessories

Terminal shroud	Reference	Price £ Each
4 for 2p & 8 for 4 p devices	KA-SHROUD	0.45

Locking Facility

Suitable for	Reference	Price £ Each
RCCBs & Main Switches	WES	8.10

Residual Current Circuit Breakers with overload protection (RCBOs & CBRs)

RCBOs Single Module Type A (+ un-switched neutral)

Amps	Sensitivity	Reference 'B' Curve	Reference 'C' Curve	Price £ Each
6	30mA	RCBO1-B06/003/1-A	RCBO1-C06/003/1-A	51.30
10	30mA	RCBO1-B10/003/1-A	RCBO1-C10/003/1-A	51.30
16	30mA	RCBO1-B16/003/1-A	RCBO1-C16/003/1-A	51.30
20	30mA	RCBO1-B20/003/1-A	RCBO1-C20/003/1-A	51.30
25	30mA	RCBO1-B25/003/1-A	RCBO1-C25/003/1-A	51.30
32	30mA	RCBO1-B32/003/1-A	RCBO1-C32/003/1-A	51.30
40	30mA	RCBO1-B40/003/1-A	RCBO1-C40/003/1-A	51.30
45	30mA	RCBO1-B45/003/1-A	RCBO1-C45/003/1-A	51.30

RCBOs Two Pole Type A 2 Modules

Amps	Sensitivity	Reference 'B' Curve	Reference 'C' Curve	Price £ Each
6	30mA	DRCBO-3B06/0.03/1N-A	DRCBO-3C06/0.03/1N-A	64.70
10	30mA	DRCBO-3B10/0.03/1N-A	DRCBO-3C10/0.03/1N-A	64.70
16	30mA	DRCBO-3B16/0.03/1N-A	DRCBO-3C16/0.03/1N-A	64.70
20	30mA	DRCBO-3B20/0.03/1N-A	DRCBO-3C20/0.03/1N-A	64.70
25	30mA	DRCBO-3B25/0.03/1N-A	DRCBO-3C25/0.03/1N-A	64.70
32	30mA	DRCBO-3B32/0.03/1N-A	DRCBO-3C32/0.03/1N-A	64.70
40	30mA	DRCBO-3B40/0.03/1N-A	DRCBO-3C40/0.03/1N-A	64.70

RCBOs Four pole Type A 4 Modules

Amps	Sensitivity	Reference 'B' Curve	Reference 'C' Curve	Price £ Each
6	30mA	DRCBO-4B06/0.03/1N-A	DRCBO-4C06/0.03/1N-A	129.50
10	30mA	DRCBO-4B10/0.03/1N-A	DRCBO-4C10/0.03/1N-A	129.50
16	30mA	DRCBO-4B16/0.03/1N-A	DRCBO-4C16/0.03/1N-A	129.50
20	30mA	DRCBO-4B20/0.03/1N-A	DRCBO-4C20/0.03/1N-A	129.50
25	30mA	DRCBO-4B25/0.03/1N-A	DRCBO-4C25/0.03/1N-A	129.50
32	30mA	DRCBO-4B32/0.03/1N-A	DRCBO-4C32/0.03/1N-A	129.50
40	30mA	DRCBO-4B40/0.03/1N-A*	DRCBO-4C40/0.03/1N-A*	129.50

* NOTE: These devices are 5 Modules Wide

B & C curve devices are the same price.

RCBO & CBR Accessories

RCBO Auxiliary Switches

Module	Description	Reference	Price £ Each
0.5	2 C/O contacts	DHi-12 (2 pole)	23.50
0.5	1 C/O contact	DRCBO 4 Hi 1(4 pole)	23.50

RCBO Shunt trip

Description	Reference	Price £ Each
For 2pole RCBOs	FAM 1	19.20

Enclosure N7 IP54 - for DFL8 'A', 'BNK' & 'BSK' Devices

Description	Reference	Price £ Each
DFL8-N7-ENCLOSURE		587.15

CBRs Type A

Amps	Sensitivity	4 Pole Moulded Case Reference	Price £ Each
100	30mA	DFL8-100-4/0.03-A	1723.55
125	30mA	DFL8-125-4/0.03-A	1723.55
160	30mA	DFL8-160-4/0.03-A	1837.20
200	30mA	DFL8-200-4/0.03-A	1977.40
250	30mA	DFL8-250-4/0.03-A	2121.35

Amps	Sensitivity	4 Pole Moulded Case Adjustable	Price £ Each
100	Adjustable	DFL8-100-4/X-A	1673.95
125	Adjustable	DFL8-125-4/X-A	1673.95
160	Adjustable	DFL8-160-4/X-A	1782.30
200	Adjustable	DFL8-200-4/X-A	1918.80
250	Adjustable	DFL8-250-4/X-A	2057.45

CBRs Type BNK

Amps	Sensitivity	4 Pole Moulded Case Reference	Price £ Each
100	30mA	DFL8-100-4/0.03-BNK	2676.65
125	30mA	DFL8-125-4/0.03-BNK	2676.65
160	30mA	DFL8-160-4/0.03-BNK	2787.05
200	30mA	DFL8-200-4/0.03-BNK	2926.45
250	30mA	DFL8-250-4/0.03-BNK	3067.85

Amps	Sensitivity	4 Pole Moulded Case Adjustable	Price £ Each
100	Adjustable	DFL8-100-4/X-BNK	2676.65
125	Adjustable	DFL8-125-4/X-BNK	2676.65
160	Adjustable	DFL8-160-4/X-BNK	2787.05
200	Adjustable	DFL8-200-4/X-BNK	2926.45
250	Adjustable	DFL8-250-4/X-BNK	3067.85

CBRs Type BSK

Amps	Sensitivity	4 Pole Moulded Case Reference	Price £ Each
100	30mA	DFL8-100-4/0.03-BSK	2596.05
125	30mA	DFL8-125-4/0.03-BSK	2596.05
160	30mA	DFL8-160-4/0.03-BSK	2703.45
200	30mA	DFL8-200-4/0.03-BSK	2838.70
250	30mA	DFL8-250-4/0.03-BSK	2975.00

Amps	Sensitivity	4 Pole Moulded Case Adjustable	Price £ Each
100	Adjustable	DFL8-100-4/X-BSK	2596.05
125	Adjustable	DFL8-125-4/X-BSK	2596.05
160	Adjustable	DFL8-160-4/X-BSK	2703.45
200	Adjustable	DFL8-200-4/X-BSK	2838.70
250	Adjustable	DFL8-250-4/X-BSK	2975.00

Doepke

Miniature Circuit Breakers - DLS6

Miniature Circuit Breakers 'B' Curve (single, double, triple & four pole)

			1 Pole 1 Module		2 Pole 2 Module		3 Pole 3 Module		4 Pole 4 Module	
Amps	Breaking Capacity	Reference	Pack Qty.	Price £ Each	Pack Qty.	Price £ Each	Pack Qty.	Price £ Each	Pack Qty.	Price £ Each
6A	10kA	**DLS6-IB6**/P	12	11.15	6	32.45	4	39.75	3	48.50
10A	10kA	**DLS6-IB10**/P	12	11.15	6	32.45	4	39.75	3	48.50
16A	10kA	**DLS6-IB16**/P	12	11.15	6	32.45	4	39.75	3	48.50
20A	10kA	**DLS6-IB20**/P	12	11.15	6	32.45	4	39.75	3	48.50
25A	10kA	**DLS6-IB25**/P	12	11.15	6	32.45	4	39.75	3	48.50
32A	10kA	**DLS6-IB32**/P	12	11.15	6	32.45	4	39.75	3	48.50
40A	10kA	**DLS6-IB40**/P	12	11.15	6	32.45	4	39.75	3	48.50
50A	10kA	**DLS6-IB50**/P	12	12.55	6	36.75	4	44.95	3	53.00
63A	10kA	**DLS6-IB63**/P	12	12.55	6	36.75	4	44.95	3	53.00

Miniature Circuit Breakers 'C' Curve (single, double, triple & four pole)

			1 Pole 1 Module		2 Pole 2 Module		3 Pole 3 Module		4 Pole 4 Module	
Amps	Breaking Capacity	Reference	Pack Qty.	Price £ Each	Pack Qty.	Price £ Each	Pack Qty.	Price £ Each	Pack Qty.	Price £ Each
4A	10kA	**DLS6-IC4**/P	12	11.75	6	33.85	4	41.25	3	53.00
6A	10kA	**DLS6-IC6**/P	12	11.15	6	32.45	4	39.75	3	48.50
10A	10kA	**DLS6-IC10**/P	12	11.15	6	32.45	4	39.75	3	48.50
16A	10kA	**DLS6-IC16**/P	12	11.15	6	32.45	4	39.75	3	48.50
20A	10kA	**DLS6-IC20**/P	12	11.15	6	32.45	4	39.75	3	48.50
25A	10kA	**DLS6-IC25**/P	12	11.15	6	32.45	4	39.75	3	48.50
32A	10kA	**DLS6-IC32**/P	12	11.15	6	32.45	4	39.75	3	48.50
40A	10kA	**DLS6-IC40**/P	12	11.15	6	32.45	4	39.75	3	48.50
50A	10kA	**DLS6-IC50**/P	12	12.55	6	36.75	4	44.95	3	53.00
63A	10kA	**DLS6-IC63**/P	12	12.55	6	36.75	4	44.95	3	53.00

Miniature Circuit Breakers 'D' Curve (single, double, triple & 4 pole)

			1 Pole 1 Module		2 Pole 2 Module		3 Pole 3 Module		4 Pole 4 Module	
Amps	Breaking Capacity	Reference	Pack Qty.	Price £ Each	Pack Qty.	Price £ Each	Pack Qty.	Price £ Each	Pack Qty.	Price £ Each
4A	10kA	**DLS6-ID4**/P	12	11.75	6	33.85	4	41.25	3	48.50
6A	10kA	**DLS6-ID6**/P	12	11.15	6	32.45	4	39.75	3	48.50
10A	10kA	**DLS6-ID10**/P	12	11.15	6	32.45	4	39.75	3	48.50
16A	10kA	**DLS6-ID16**/P	12	11.15	6	32.45	4	39.75	3	48.50
20A	10kA	**DLS6-ID20**/P	12	11.15	6	32.45	4	39.75	3	48.50
25A	10kA	**DLS6-ID25**/P	12	11.15	6	32.45	4	39.75	3	48.50
32A	10kA	**DLS6-ID32**/P	12	11.15	6	32.45	4	39.75	3	48.50
40A	10kA	**DLS6-ID40**/P	12	11.15	6	32.45	4	39.75	3	48.50
50A	6kA	**DLS6-ID50**/P	12	12.55	6	36.75	4	44.95	3	53.00
63A	6kA	**DLS6-ID63**/P	12	12.55	6	36.75	4	44.95	3	53.00

Note: Substitute '1', '2', '3' or '4' for 'P' in the reference when ordering

Miniature Circuit Breakers

MCBs 'B' Curve 6kA (DLS6)

Miniature Circuit Breakers 'B' Curve

1 Pole 1 Module

Amps	Breaking Capacity	Reference	Pack Qty.	Price £ Each
6A	6kA	DLS6-HB6/1	12	11.15
10A	6kA	DLS6-HB10/1	12	11.15
16A	6kA	DLS6-HB16/1	12	11.15
20A	6kA	DLS6-HB20/1	12	11.15
25A	6kA	DLS6-HB25/1	12	11.15
32A	6kA	DLS6-HB32/1	12	11.15

MCB Accessories (DLS6)

Auxiliary Switches for DLS6 MCBs

Modules	Description	Reference	£ Each
0.5	1 N/O	DHi-3	23.50
0.5	1 N/O + 1 N/C	DHi-4	23.50
0.5	1 N/O + 2 N/C	DHi-5	23.50
0.5	2 N/O + 1 N/C	DHi-6	23.50
0.5	1 C/O	DHi-7	23.50
0.5	2 C/O	DHi-8	23.50

Fault signalling for DLS6 MCBs

Modules	Description	Reference	£ Each
0.5	1 C/O	DHi-S10	23.50
0.5	1 N/O + 1 N/C	DHi-S11	23.50

Shunt trip for DLS6 MCBs

Modules	Description	Reference	£ Each
1	Uc AC =24v	DASA-24	25.00
1	Uc AC =230v	DASA-230	25.00

Locking Device for DLS6 MCBs

Description	Reference	£ Each
Lockable with padlock (not supplied)	DEASS	4.90

MCBs 'C' Curve (DMCB2)

Single Pole (27mm NON-STANDARD MODULE)

Standard Module	Poles	Amps	Breaking Capacity	Reference	Pack Qty.	Price £ Each
1.5	1	80A	10kA	DMCB2-C080/1	1	46.80
1.5	1	100A	10kA	DMCB2-C100/1	1	46.80
1.5	1	125A	7.5kA	DMCB2-C125/1	1	46.80

Double Pole (27mm NON-STANDARD MODULE)

Standard Module	Poles	Amps	Breaking Capacity	Reference	Pack Qty.	Price £ Each
3	2	80A	10kA	DMCB2-C080/2	1	71.10
3	2	100A	10kA	DMCB2-C100/2	1	71.10
3	2	125A	7.5kA	DMCB2-C125/2	1	71.10

Triple Pole (27mm NON-STANDARD MODULE)

Standard Module	Poles	Amps	Breaking Capacity	Reference	Pack Qty.	Price £ Each
4.5	3	80A	10kA	DMCB2-C080/3	1	107.40
4.5	3	100A	10kA	DMCB2-C100/3	1	107.40
4.5	3	125A	7.5kA	DMCB2-C125/3	1	107.40

Four Pole (27mm NON-STANDARD MODULE)

Standard Module	Poles	Amps	Breaking Capacity	Reference	Pack Qty.	Price £ Each
6	4	80A	10kA	DMCB2-C080/4	1	167.15
6	4	100A	10kA	DMCB2-C100/4	1	167.15
6	4	125A	7.5kA	DMCB2-C125/4	1	167.15

MCB Accessories (DMCB2)

Auxiliary Switch for DMCB2

Modules	Description	Reference	£ Each
0.5	1 N/O + 1 N/C	DMCB2-Hi1	23.50

Shunt trip for DMCB2

Modules	Description	Reference	£ Each
1.0	Uc AC =110-415v Uc DC =110-230v	DMCB2-ASA1	34.85

Arc Fault Detection Devices

AFDD + RCBO function Two Pole Type A & AKV

Amps	Sensitivity	Reference 'B' Curve	Reference 'C' Curve	A Price £ Each	A-KV Price £ Each
10	30mA	DAFDD-1.B10/0.03/2-	DAFDD-1.C10/0.03/2-	137.60	150.05
16	30mA	DAFDD-1.B16/0.03/2-	DAFDD-1.C16/0.03/2-	137.60	150.05
20	30mA	DAFDD-1.B20/0.03/2-	DAFDD-1.C20/0.03/2-	137.60	150.05
25	30mA	DAFDD-1.B25/0.03/2-	DAFDD-1.C25/0.03/2-	137.60	150.05
32	30mA	DAFDD-1.B32/0.03/2-	DAFDD-1.C32/0.03/2-	137.60	150.05
40	30mA	DAFDD-1.B40/0.03/2-	DAFDD-1.C40/0.03/2-	137.60	150.05

Note: Add 'A' or 'AKV' to the reference when ordering **(B & C curve devices are the same price.)**

Switchgear - Isolators & Switchfuses

Doepke

Isolators Metal IP65

Amps	Poles	Reference	IP rating	Price £ Each
20	3P+N	AS-3020	IP65	85.70
32	3P+N	AS-3032	IP65	88.05
63	3P+N	AS-3063	IP65	104.55
100	3P+N	AS-3100	IP65	141.55
160	3P+N	AS-3160	IP65	225.00
200	3P+N	AS-3200	IP65	274.15
250	3P+N	AS-3250	IP65	433.55
400	3P+N	AS-3400	IP65	669.75
630	3P+N	AS-3630	IP65	914.05

Switchfuses Metal IP65

Amps	Poles	Reference	IP rating	Price £ Each
20	3P+N	ASF-3020	IP65	128.80
32	3P+N	ASF-3032	IP65	147.55
63	3P+N	ASF-3063	IP65	189.05
100	3P+N	ASF-3100	IP65	319.20
160	3P+N	ASF-3160	IP65	435.65
200	3P+N	ASF-3200	IP65	556.75
250	3P+N	ASF-3250	IP65	1025.45
400	3P+N	ASF-3400	IP65	1138.10
630	3P+N	ASF-3630	IP65	2026.60

Spreader Kits

Reference	Suitable for	Price £ Each
AX-02	AS/ASF 160-400A, AS-3630	110.00
AX-04	ASF-3630	345.30

Auxiliary Contacts

Reference	Suitable for	Price £ Each
OA1G10	AS-3020 to AS-3630 & ASF-3032 to ASF-3630	12.45
OA4B10	ASF-3020	15.00

18th Edition Consumer Units - Metal

SPLIT LOAD - Dual RCCB (Type A)

Isolator Rating	RCCB 1 Rating	RCCB 2 Rating	Usable Ways	METAL Reference	Price £ Each
100A	63A 30mA	63A 30mA	8	DCM08SL/063/063	134.75
100A	63A 30mA	63A 30mA	12	DCM12SL/063/063	160.40
100A	63A 30mA	63A 30mA	18	DCM18SL/063/063	174.10
100A	63A 30mA	63A 30mA	22	DCM22SL/063/063	184.90

SPLIT LOAD - Dual RCCB (Type A/F)

Isolator Rating	RCCB 1 Type A	RCCB 2 Type F	Usable Ways	METAL Reference	Price £ Each
100A	63A 30mA	63A 30mA	8	DCM08SL/063/063-A/F	204.90
100A	63A 30mA	63A 30mA	12	DCM12SL/063/063-A/F	225.70

SPLIT LOAD - Single RCCB (Type A)

Isolator Rating	RCCB Rating	Total Ways	METAL Reference	Price £ Each
100A	63A 30mA	6	DCM06SL/063	90.95
100A	63A 30mA	10	DCM10SL/063	105.45
100A	63A 30mA	14	DCM14SL/063	123.00

C/Unit Enclosures

Metal Enclosures

Modules	Reference	Price £ Each
6	DME 06	54.30
10	DME 10	57.50
14	DME 14	64.75
18	DME 18	74.45
24	DME 24	89.70
28	DME 28	100.85

RCCB (Type A) as main switch

RCCB Type AC Rating	Total Ways	METAL Reference	Price £ Each
63A 30mA	4	DCMR04/063	70.30
100A 30mA	4	DCMR04/100	86.25
63A 30mA	8	DCMR08/063	85.50
100A 30mA	8	DCMR08/100	101.00
100A 30mA	12	DCMR12/100	107.05
100A 30mA	16	DCMR16/100	116.90
100A 30mA	22	DCMR22/100	132.50
100A 30mA	26	DCMR26/100	144.80

18th Edition Cons/Units - Metal

ISOLATOR as main switch

Isolator Rating	Total Ways	METAL Reference	Price £ Each
100A	4	DCM04	64.60
100A	8	DCM08	68.90
100A	12	DCM12	77.20
100A	16	DCM16	90.50
100A	22	DCM22	99.75
100A	26	DCM26	113.15

Conversion kit - to 2P RCBOs for DCM26

Reference	Price £ Each
DCM26-2PRCBO	28.60

Garage Units - IP2X

Garage Units — Metal IP2X

RCCB Type AC Rating	Outgoing MCB Ratings 1	2	Reference	Price £ Each
40A 30mA	16A	6A	DGU1.MP2X	80.10

Modular Enclosures

with Neutral & Earth terminals and DIN Rail (except DIME 2)

Insulated Modular Enclosures

Modules	IP Rating	Reference	£ Each
2	IP 30	DIME 2	3.30
4	IP 30	DIME 4	6.80
3	IP 55	DIMEF 3	15.45
4	IP 55	DIMEF 4	18.40
8	IP 55	DIMEF 8	33.75
12	IP 55	DIMEF12	49.30
18	IP 55	DIMEF18	77.15
24	IP 55	DIMEF2/24	84.50
36	IP 55	DIMEF2/36	107.20
54	IP 55	DIMEF3/54	135.20

Metal Modular Enclosures

Modules	IP Rating	Reference	Price £ Each
4	IP 20	DMMEX 4	41.25
6	IP 20	DMMEX 6	47.05
10	IP 20	DMMEX 10	49.80

Wiring Accessories

Busbars -70 Amp (end feed)

Product	Ways	Reference	Price £ Each
Forked Single Pole	2	EV.S.G.1.2	1.95
Forked Single Pole	3	EV.S.G.1.3	2.30
Forked Single Pole	6	EV.S.G.1.6	2.60
Forked Single Pole	12	EV.S.G.1.12	5.25

Busbars -63 Amp (central feed = 120A)

Product	Ways	Reference	Price £ Each
Forked Double Pole	2	EV.S.G.2.4	2.60
Forked Double Pole	3	EV.S.G.2.6	3.20
Forked Double Pole	4	EV.S.G.2.8	3.75
Forked Double Pole	6	EV.S.G.2.12	6.25
Forked Triple Pole	2	EV.S.G.3.6	5.80
Forked Triple Pole	3	EV.S.G.3.9	7.20
Forked Triple Pole	4	EV.S.G.3.12	8.40
Forked Four Pole	2	EV.S.G.4.8	7.80
Forked Four Pole	3	EV.S.G.4.12	9.15

Busbars -80 Amp (1m cut-to-length)

Description	Ways	Reference	Price £ Each
L1+N, L2+N, L3+N	54	GM.3.54.130/16/N	76.75
L1, L2, L3, N	56	GM.4.56.130/16	76.75
End Cap for GM.3....	N/A	EK-4	1.60

Terminals

Product	Rating	Reference	Price £ Each
Forked Terminal	70A 25mm²	AS/25.G	1.45
Prong Terminal	70A 25mm²	AS/25.S	1.45
Interlocking	150A 35mm²	ES/35.G	4.20

Blanks

Type	Size/Qty	Reference	Price £ Each
Module Blanking	6 Module	BLANKSW	1.40
Phase Position	Strip of 5	EV-S-BS	2.55

Neutral/Earth Bars

Type	Ways	Reference	Price £ Each
Blue N-bar	7	LK/N7	3.85
Blue N-bar	12	LK/N12	6.00
Green E-bar	7	LK/S7	3.85
Green E-bar	12	LK/S12	6.00

Power Switching

Modular Contactors

Contactors

Voltage	Amps	Modules	Reference	Price £ Each
230	20	1	HS20-02	22.95
230	20	1	HS20-11	22.95
230	20	1	HS20-20	22.95
230	25	2	HS25-04	38.20
230	25	2	HS25-22	38.20
230	25	2	HS25-31	38.20
230	25	2	HS25-40	38.20
230	40	3	HS40-04	77.50
230	40	2	HS40-20s	57.85
230	40	3	HS40-22	77.50
230	40	3	HS40-31	77.50
230	40	3	HS40-40	77.50
230	63	2	HS63-20s	73.50
230	63	3	HS63-22	95.70
230	63	3	HS63-31	95.70
230	63	3	HS63-40	95.70

Contactor Accessories

Auxiliary Switch for HS Contactors

Modules	Description	Reference	£ Each
0.5	1 N/O + 1 N/C	HSH11	16.40

Main Switches

Main Switches (AC22a)

Amps	Poles	Modules	Reference	Price £ Each
100	2	2	DHS 2-100	15.50
125	2	2	DHS 2-125	38.30
100	4	4	DHS 4-100	39.50
125	4	4	DHS 4-125	50.75

Main Switches (AC23a)

Amps	Poles	Modules	Reference	Price £ Each
100	2	2	RH 100-200	15.50
100	3	3	RH 100-300	17.15
100	4	4	RH 100-400	38.25

Main Switch Accessories

Terminal Covers for Main Switches

Modules	Description	Reference	£ Each
2	2 pole DHS	KA-DFS2	0.36
4	4 pole DHS	KA-DFS4	0.36
1	1 per pole RH	RH-KA	0.31

Control

Time Switches

Time Switches (electromechanical)

Switching	Max. Load Resistive	Max. Load Inductive	Reserve	Modules	Reference	Price £ Each
24 Hour	16A	4A	No	1	UNO-D	35.35
24 Hour	16A	4A	Yes	1	UNO-QRD	42.00
7 Day	16A	4A	Yes	1	UNO-QRS	46.45

Time Switches (electronic with power reserve)

Switching	Max. Load Resistive	Max. Load Inductive	Storage Locations	Modules	Reference	Price £ Each
24 Hour & 7 Day	16A	10A	32	2	DATAMICRO	59.65
24 Hour & 7 Day	16A	10A	64	2	DATAMICRO2	72.10
24 Hour & 7 Day	16A	10A	64	2	DTSW-ASTRO-1	65.50

Twilight Switches

Wall Mounting Twilight Switch

Rating:16A

Colour	Adjustable Timer	Lux Level	Reference	Price £ Each
White	No	1-200	DASY-016-2-230V-WE	33.85
Anthracite	No	1-200	DASY-016-2-230V-AN	33.85
White	No	10-1000	DASY-016-2.1-230V-WE	33.85
White	Yes	1-200	DASY-016-2-230V-TC-WE	37.15
Anthracite	Yes	1-200	DASY-016-2-230V-TC-AN	37.15

Transformers

Doorbell Transformers

Voltage	Amps	Modules	Reference	Price £ Each
8V	1	2	RK81	28.00
4/8/12V	3/2/2	3	RK3U	29.10
4/8/12V	2/2/1.5	3	RK12	32.45
8/12/24V	2/1.3/0.6	3	RK24	38.30

Residual Current Monitors

Residual Current Monitoring Relay - Type A

Modules	Contacts C/O	Setting range	Reference	Price £ Each
4	2	0.03A < 3A	DRCM 1 A	267.30

Residual Current Monitoring Relay - Type B

ID in mm	Contacts C/O	Fixed Range	Reference	Price £ Each
20	1	0.3A	DCTR B NK 020/0.30-I	557.45
35	1	0.3A	DCTR B NK 035/0.30-I	700.95
70	1	0.3A	DCTR B NK 070/0.30-I	774.80

Residual Current Transformers Type A

Description		Reference	Price £ Each
For use with DRCM 1 A	Internal Diameter 20mm	DCT A-020	79.05
	Internal Diameter 35mm	DCT A-035	125.85
	Internal Diameter 70mm	DCT A-070	143.50
	Internal Diameter 105mm	DCT A-105	176.80



DRCM 1 A

DCT A-035

Earth Leakage Relays & Transformers (Contrel)

Earth Leakage Relays

Description	Reference	Price £ Each
Built-in 35mm toroidal transformer	ELRC-1/35	219.40
Built-in 60mm toroidal transformer	ELRC-1/60	232.30
Built-in 80mm toroidal transformer	ELRC-1/80	254.20
Built-in 110mm toroidal transformer	ELRC-1/110	268.40
Remote transformer, DIN-rail mounted	ELR-3C	178.10
Remote transformer, DIN-rail mounted	ELR-3E1	178.10
Remote transformer, Panel mounted	ELR-7	196.25

Toroidal Transformers

Description		Reference	Price £ Each
For use with Remote Transformer Devices	Internal Diameter 35mm	CT-1/35	59.30
	Internal Diameter 60mm	CT-1/60	71.00
	Internal Diameter 80mm	CT-1/80	86.40
	Internal Diameter 110mm	CT-1/110	100.65
	Internal Diameter 160mm	CT-1/160	267.10
	Internal Diameter 210mm	CT-1/210	281.35

Residual Current Analyser

Residual Current Analysis Set

Int CT D in mm	Rated current	Measurement Range	Reference	Price £ Each
70	200A	10Hz < 100kHz	DRCA-1SET	2534.50

Separate CTs for Current Analysis Set

Int CT D in mm	Rated current	Measurement Range	Reference	Price £ Each
70	200A	10Hz < 100kHz	DRCA-1-CT070	330.70
105	250A	10Hz < 100kHz	DRCA-1-CT105	485.70
140	350A	10Hz < 100kHz	DRCA-1-CT140	751.90

DRCA-1-SET

Doepke

Terms and Conditions of Sale

TERMS

Strictly nett. In the event of default in payment by the customer in accordance with agreed terms the Company shall be entitled to suspend all deliveries without notice.

NEW ACCOUNTS

Prospective customers wishing to open accounts should apply on the appropriate application form, acknowledging these Terms and Conditions. Until such time as an account has been opened goods will only be supplied if a remittance accompanies the order for the goods.

PRICES

(a) Unless otherwise agreed by us in writing, all prices stated are those ruling at the date of quotation or acceptance of the order and will be subject to adjustment to the prices ruling at the date of despatch.

(b) Prices shown do not include VAT, which will be shown on invoices as a separate charge at the appropriate rate.

MINIMUM INVOICE VALUE

The minimum invoice value is £10.00 excluding VAT and any carriage charges.

DELIVERY/DESPATCH

(a) A Carriage Charge will normally be applied to most orders to UK mainland destinations by our normal transport arrangements. The sales office may waive the Carriage Charge for orders of high net invoice value. Carriage charges for orders to other destinations will be quoted according to destination, weight and volume.

(b) Whilst we endeavour to maintain delivery dates, it is a condition that we shall not be liable for damages (direct, consequential or otherwise) for late delivery, nor under any other liability in respect thereto.

CLAIMS

Written notification for claims regarding shortages, non-delivery or damage to goods to be submitted within 5 days from date of delivery, otherwise no liability will be accepted by the Company.

RETURN OF GOODS

The return of goods will only be accepted by prior agreement and must be carriage paid. A handling charge will be payable.

PACK QUANTITIES

We reserve the right to supply in pack quantities as detailed in our price list ruling at date of despatch and therefore round orders to the nearest pack quantity above the quantity ordered.

PACKING

Cartons are not charged and are non-returnable.

PATENTS

(a) Some products in the catalogue are protected by British patents and Registered Designs. It is not possible in all cases to mark each component. Box labels will however contain any relevant information.

(b) The Purchaser shall indemnify us against all damages, penalties, costs and expenses to which we have become liable as a result of work done in accordance with Purchaser's specifications or designs which involves or is alleged to involve the infringement of any copyright, letters patent, patent rights or registered design or similar rights.

HEALTH AND SAFETY AT WORK ACT 1974

Statements to Purchasers and Prospective Purchasers
Section 6 of the Act provides that the manufacturers, designers, importers or suppliers of articles for use at work shall have a duty to ensure, so far as is reasonably practicable, that the article will be safe and without risk to health when properly used. An article is not regarded as being "properly used" if it is used without regard to any relevant information or advice relating to its use made available by the manufacturer, designer, importer or supplier.

PRODUCT LIABILITY

(a) The Purchaser relies on his own skill and judgement as to the suitability of all goods offered and supplied for any particular purpose or for use under any specific conditions.

(b) In the event of any article supplied proving defective in material or workmanship, within a twelve month period we undertake to replace or repair this free of charge, which shall be the limit of our responsibility. We do not accept liability for any other costs, direct or indirect arising from such defective goods. Defective goods are to be returned to ourselves for investigation purposes if we so request.

RISK AND TITLE

1. The goods shall remain the sole and absolute property of the Company until such times as the buyer shall have paid to the Company the purchase price together with the full price that is outstanding of any other goods the subject of any other Contract between the buyer and the Company. The buyer acknowledges that he is in possession of the goods solely as Bailees for the Company until such time as the full price is paid thereof to the Company together with the full price outstanding of any other goods the subject of any other Contract between the Company and the buyer. The buyer agrees that until such time as he becomes the owner of the goods, he will store them in a manner which makes them readily identifiable as the goods of the Company. The buyer's rights to possession of the goods shall cease if he, not being a Company commits an act of bankruptcy or if he, being a Company does anything or fails to do anything which would entitle the receiver to take possession of any assets or which would enable any person to represent a Petition for Winding up. The Company may for the purposes of recovery of its goods enter upon any premises where they are stored or where they are reasonably thought to be stored and then re-possess the same.

   Subject to the terms hereof the buyer is licensed by the Company to agree to sell on the Company's goods subject to the express condition that such an agreement to sell shall take place as agents and Bailees for the Company whether the buyer sells on his own account or not and that the entire proceeds thereof are held in trust for the Company and shall be at all times identifiable as the Company's monies. If the buyer has not received the proceeds of any such sale he may be called upon to do so by the Company and will within seven days thereof assign to the Company all right relating to payment against the person or persons to whom he has supplied the Company's goods.

2. All invoiced goods remain the property of Doepke UK Limited until payment is received in full.

Doepke UK Ltd

is a subsiduary of:

Doepke Schaltgeräte GmbH
Stellmacherstraße 11
26506 Norden, Germany

Doepke

The safest way to use electricity

Circuit Protection

Distribution Equipment

Power Switching

Control

Monitoring

Doepke UK Ltd

3, Bentley Way
Royal Oak Industrial Estate
Daventry, Northants. NN11 8QH

Tel: 01628 829133 Fax: 01327 878749
Website: www.doepke.co.uk

issue0421