

Doepke

TRADE PRICES: JANUARY 2026



**Circuit Protection
Distribution Equipment
Power Switching
Control & Monitoring**

A subsidiary of:
Doepke Schaltgeräte GmbH
Stellmacherstraße 11
26506 Norden, Germany

**The Safest Way
to use electricity**

Residual Current Devices (RCCBs) Type A, F & AKV

		Type:	A	F	AKV			Type:	A	F	AKV
Amps	Sensitivity	2 Pole 2 Module Reference	Price £ Each	Price £ Each	Price £ Each	4 Pole 4 Module Reference		Price £ Each	Price £ Each	Price £ Each	
16	10mA	DFS2-016-2/0.01	72.95	N/A	POA	DFS4-016-4/0.01		84.15	N/A	POA	
16	30mA	DFS2-016-2/0.03	72.95	123.35	123.35	DFS4-016-4/0.03		84.15	164.05	164.05	
16	100mA	DFS2-016-2/0.10	72.95	123.35	123.35	DFS4-016-4/0.10		84.15	164.05	164.05	
16	300mA	DFS2-016-2/0.30	72.95	123.35	123.35	DFS4-016-4/0.30		84.15	164.05	164.05	
16	500mA	DFS2-016-2/0.50	72.95	123.35	POA	DFS4-016-4/0.50		84.15	164.05	POA	
25	30mA	DFS2-025-2/0.03	72.95	123.35	123.35	DFS4-025-4/0.03		84.15	164.05	164.05	
25	100mA	DFS2-025-2/0.10	72.95	123.35	123.35	DFS4-025-4/0.10		84.15	164.05	164.05	
25	300mA	DFS2-025-2/0.30	72.95	123.35	123.35	DFS4-025-4/0.30		84.15	164.05	164.05	
25	500mA	DFS2-025-2/0.50	72.95	123.35	POA	DFS4-025-4/0.50		84.15	164.05	POA	
40	10mA	DFS2-040-2/0.01	77.40	N/A	POA	DFS4-040-4/0.01		N/A	N/A	N/A	
40	30mA	DFS2-040-2/0.03	77.40	130.65	130.65	DFS4-040-4/0.03		107.50	209.85	209.85	
40	100mA	DFS2-040-2/0.10	77.40	130.65	130.65	DFS4-040-4/0.10		107.50	209.85	209.85	
40	300mA	DFS2-040-2/0.30	77.40	130.65	130.65	DFS4-040-4/0.30		107.50	209.85	209.85	
40	500mA	DFS2-040-2/0.50	77.40	130.65	POA	DFS4-040-4/0.50		107.50	209.85	POA	
63	30mA	DFS2-063-2/0.03	92.40	156.20	156.20	DFS4-063-4/0.03		116.60	227.40	227.40	
63	100mA	DFS2-063-2/0.10	92.40	156.20	156.20	DFS4-063-4/0.10		116.60	227.40	227.40	
63	300mA	DFS2-063-2/0.30	92.40	156.20	156.20	DFS4-063-4/0.30		116.60	227.40	227.40	
63	500mA	DFS2-063-2/0.50	92.40	156.20	POA	DFS4-063-4/0.50		116.60	227.40	POA	
80	30mA	DFS2-080-2/0.03	112.10	189.50	189.50	DFS4-080-4/0.03		140.10	273.20	273.20	
80	100mA	DFS2-080-2/0.10	112.10	189.50	189.50	DFS4-080-4/0.10		140.10	273.20	273.20	
80	300mA	DFS2-080-2/0.30	112.10	189.50	189.50	DFS4-080-4/0.30		140.10	273.20	273.20	
80	500mA	DFS2-080-2/0.50	112.10	189.50	POA	DFS4-080-4/0.50		140.10	273.20	POA	
100	30mA	DFS2-100-2/0.03	120.25	203.30	203.30	DFS4-100-4/0.03		223.00	434.80	434.80	
100	100mA	DFS2-100-2/0.10	120.25	203.30	203.30	DFS4-100-4/0.10		223.00	434.80	434.80	
100	300mA	DFS2-100-2/0.30	120.25	203.30	203.30	DFS4-100-4/0.30		223.00	434.80	434.80	
100	500mA	DFS2-100-2/0.50	120.25	203.30	POA	DFS4-100-4/0.50		223.00	434.80	POA	
125	30mA	DFS2-125-2/0.03	161.50	272.75	272.75	DFS4-125-4/0.03		421.25	821.55	821.55	
125	100mA	DFS2-125-2/0.10	161.50	272.75	272.75	DFS4-125-4/0.10		421.25	821.55	821.55	
125	300mA	DFS2-125-2/0.30	161.50	272.75	272.75	DFS4-125-4/0.30		421.25	821.55	821.55	
125	500mA	DFS2-125-2/0.50	161.50	272.75	POA	DFS4-125-4/0.50		421.25	821.55	POA	

Time Delay RCCBs Type AS

Amps	Sensitivity	2 Pole 2 Module Reference	Price £ Each	4 Pole 4 Module Reference	Price £ Each
40	100mA	DFS2-040-2/0.10-AS	108.60	DFS4-040-4/0.10-AS	128.75
40	300mA	DFS2-040-2/0.30-AS	108.60	DFS4-040-4/0.30-AS	128.75
40	500mA	DFS2-040-2/0.50-AS	108.60	DFS4-040-4/0.50-AS	128.75
40	1000mA	DFS2-040-2/1.00-AS	N/A	DFS4-040-4/1.00-AS	POA
63	100mA	DFS2-063-2/0.10-AS	108.60	DFS4-063-4/0.10-AS	128.75
63	300mA	DFS2-063-2/0.30-AS	108.60	DFS4-063-4/0.30-AS	128.75
63	500mA	DFS2-063-2/0.50-AS	108.60	DFS4-063-4/0.50-AS	128.75
63	1000mA	DFS2-063-2/1.00-AS	N/A	DFS4-063-4/1.00-AS	185.60
80	100mA	DFS2-080-2/0.10-AS	126.80	DFS4-080-4/0.10-AS	211.35
80	300mA	DFS2-080-2/0.30-AS	126.80	DFS4-080-4/0.30-AS	211.35
80	500mA	DFS2-080-2/0.50-AS	126.80	DFS4-080-4/0.50-AS	211.35
80	1000mA	DFS2-080-2/1.00-AS	N/A	DFS4-080-4/1.00-AS	359.40
100	100mA	DFS2-100-2/0.10-AS	143.80	DFS4-100-4/0.10-AS	248.35
100	300mA	DFS2-100-2/0.30-AS	143.80	DFS4-100-4/0.30-AS	248.35
100	500mA	DFS2-100-2/0.50-AS	143.80	DFS4-100-4/0.50-AS	248.35
100	1000mA	DFS2-100-2/1.00-AS	N/A	DFS4-100-4/1.00-AS	345.10
125	100mA	DFS2-125-2/0.10-AS	N/A	DFS4-125-4/0.10-AS	491.85
125	300mA	DFS2-125-2/0.30-AS	198.85	DFS4-125-4/0.30-AS	491.85
125	500mA	DFS2-125-2/0.50-AS	N/A	DFS4-125-4/0.50-AS	491.85
125	1000mA	DFS2-125-2/1.00-AS	N/A	DFS4-125-4/1.00-AS	491.85

Residual Current Devices (RCCBs) Type AEV

Amps	Sensitivity	Modules	Poles	Reference	£ Each
25	30mA	4	2	DFS4-025-2/0.03-A-EV	371.10
40	30mA	4	2	DFS4-040-2/0.03-A-EV	417.05
40	30mA	4	4	DFS4-040-4/0.03-A-EV	427.40
63	30mA	4	4	DFS4-063-4/0.03-A-EV	645.15
80	30mA	4	4	DFS4-080-4/0.03-A-EV	868.35



Residual Current Devices (RCCBs) Type B NK & B SK

Amps	Sensitivity	NK		SK	
		2 Poles Reference	Modules Price £ Each	Price £ Each	Price £ Each
16	30mA	DFS2-016-2/0.03-BXX	2	553.60	498.95
16	100mA	DFS2-016-2/0.10-BXX	2	553.60	498.95
16	300mA	DFS2-016-2/0.30-BXX	2	553.60	498.95
16	500mA	DFS2-016-2/0.50-BXX	2	N/A	498.95
25	30mA	DFS2-025-2/0.03-BXX	2	553.60	498.95
25	100mA	DFS2-025-2/0.10-BXX	2	553.60	498.95
25	300mA	DFS2-025-2/0.30-BXX	2	553.60	498.95
25	500mA	DFS4-025-2/0.50-BXX	2	N/A	498.95
40	30mA	DFS2-040-2/0.03-BXX	2	584.05	525.95
40	100mA	DFS2-040-2/0.10-BXX	2	584.05	525.95
40	300mA	DFS2-040-2/0.30-BXX	2	584.05	525.95
40	500mA	DFS2-040-2/0.50-BXX	2	N/A	525.95
63	30mA	DFS2-063-2/0.03-BXX	2	875.05	795.20
63	100mA	DFS2-063-2/0.10-BXX	2	875.05	795.20
63	300mA	DFS2-063-2/0.30-BXX	2	875.05	795.20
63	500mA	DFS2-063-2/0.50-BXX	2	N/A	795.20
80	30mA	DFS2-080-2/0.03-BXX	2	1277.40	1166.55
80	100mA	DFS2-080-2/0.10-BXX	2	1277.40	1166.55
80	300mA	DFS2-080-2/0.30-BXX	2	1277.40	1166.55
80	500mA	DFS2-080-2/0.50-BXX	2	N/A	1166.55
100	30mA	DFS4-100-2/0.03-BXX	4	2262.20	2114.60
100	100mA	DFS4-100-2/0.10-BXX	4	2262.20	2114.60
100	300mA	DFS4-100-2/0.30-BXX	4	2262.20	2114.60
100	500mA	DFS4-100-2/0.50-BXX	4	N/A	2114.60
125	30mA	DFS4-125-2/0.03-BXX	4	2309.05	2226.20
125	100mA	DFS4-125-2/0.10-BXX	4	2309.05	2226.20
125	300mA	DFS4-125-2/0.30-BXX	4	2309.05	2226.20
125	500mA	DFS4-125-2/0.50-BXX	4	N/A	2226.20

4 Pole 4 Module Reference	NK		SK	
	Price £ Each	Price £ Each	Price £ Each	Price £ Each
DFS4-016-4/0.03-BXX	766.45	705.20		
DFS4-016-4/0.10-BXX	766.45	705.20		
DFS4-016-4/0.30-BXX	766.45	705.20		
DFS4-016-4/0.50-BXX	N/A	705.20		
DFS4-025-4/0.03-BXX	766.45	705.20		
DFS4-025-4/0.10-BXX	766.45	705.20		
DFS4-025-4/0.30-BXX	766.45	705.20		
DFS4-025-4/0.50-BXX	N/A	705.20		
DFS4-040-4/0.03-BXX	796.45	731.70		
DFS4-040-4/0.10-BXX	796.45	731.70		
DFS4-040-4/0.30-BXX	796.45	731.70		
DFS4-040-4/0.50-BXX	N/A	731.70		
DFS4-063-4/0.03-BXX	1086.15	1001.05		
DFS4-063-4/0.10-BXX	1086.15	1001.05		
DFS4-063-4/0.30-BXX	1086.15	1001.05		
DFS4-063-4/0.50-BXX	N/A	1001.05		
DFS4-080-4/0.03-BXX	1489.80	1371.65		
DFS4-080-4/0.10-BXX	1489.80	1371.65		
DFS4-080-4/0.30-BXX	1489.80	1371.65		
DFS4-080-4/0.50-BXX	N/A	1371.65		
DFS4-100-4/0.03-BXX	2467.35	2312.65		
DFS4-100-4/0.10-BXX	2467.35	2312.65		
DFS4-100-4/0.30-BXX	2467.35	2312.65		
DFS4-100-4/0.50-BXX	N/A	2312.65		
DFS4-125-4/0.03-BXX	2514.05	2431.35		
DFS4-125-4/0.10-BXX	2514.05	2431.35		
DFS4-125-4/0.30-BXX	2514.05	2431.35		
DFS4-125-4/0.50-BXX	N/A	2431.35		

Note: When ordering substitute 'NK' or 'SK' for 'XX'

Residual Current Devices (RCCBs) Type B HP

Amps	Sensitivity	2 Pole 2 Module Reference	Price £ Each
40	30mA	DFS2-040-2/0.03-HP	482.80
40	100mA	DFS2-040-2/0.10-HP	482.80
40	300mA	DFS2-040-2/0.30-HP	482.80
63	30mA	DFS2-063-2/0.03-HP	730.00
63	100mA	DFS2-063-2/0.10-HP	730.00
63	300mA	DFS2-063-2/0.30-HP	730.00

4 Pole 4 Module Reference	Price £ Each
DFS4-040-4/0.03-HP	671.70
DFS4-040-4/0.10-HP	671.70
DFS4-040-4/0.30-HP	671.70
DFS4-063-4/0.03-HP	918.95
DFS4-063-4/0.10-HP	918.95
DFS4-063-4/0.30-HP	918.95

RCCB Accessories

RCCB Auxiliary Switches

Module	Description	Reference	Price £ Each
0.5	1 N/C + 1 C/O	DHI-11	29.25

RCCB Accessories

Terminal shroud	Reference	Price £ Each
4 for 2p & 8 for 4 p devices	KA-SHROUD	0.45

Locking Facility

Suitable for	Reference	Price £ Each
RCCBs & Main Switches	WES	10.10

Residual Current Circuit Breakers with overload protection (RCBOs & CBRs)

RCBOs Single Module Type A (+ un-switched neutral)

Amps	Sensitivity	Reference 'B' Curve	Reference 'C' Curve	Price £ Each
6	30mA	RCBO1-B06/003/1-A	RCBO1-C06/003/1-A	63.80
10	30mA	RCBO1-B10/003/1-A	RCBO1-C10/003/1-A	63.80
16	30mA	RCBO1-B16/003/1-A	RCBO1-C16/003/1-A	63.80
20	30mA	RCBO1-B20/003/1-A	RCBO1-C20/003/1-A	63.80
25	30mA	RCBO1-B25/003/1-A	RCBO1-C25/003/1-A	63.80
32	30mA	RCBO1-B32/003/1-A	RCBO1-C32/003/1-A	63.80
40	30mA	RCBO1-B40/003/1-A	RCBO1-C40/003/1-A	63.80
45	30mA	RCBO1-B45/003/1-A	RCBO1-C45/003/1-A	63.80

RCBOs Two Pole Type A 2 Modules

Amps	Sensitivity	Reference 'B' Curve	Reference 'C' Curve	Price £ Each
6	30mA	DRCBO-3B06/0.03/1N-A	DRCBO-3C06/0.03/1N-A	80.55
10	30mA	DRCBO-3B10/0.03/1N-A	DRCBO-3C10/0.03/1N-A	80.55
16	30mA	DRCBO-3B16/0.03/1N-A	DRCBO-3C16/0.03/1N-A	80.55
20	30mA	DRCBO-3B20/0.03/1N-A	DRCBO-3C20/0.03/1N-A	80.55
25	30mA	DRCBO-3B25/0.03/1N-A	DRCBO-3C25/0.03/1N-A	80.55
32	30mA	DRCBO-3B32/0.03/1N-A	DRCBO-3C32/0.03/1N-A	80.55
40	30mA	DRCBO-3B40/0.03/1N-A	DRCBO-3C40/0.03/1N-A	80.55

RCBOs Four pole Type A 4 Modules

Amps	Sensitivity	Reference 'B' Curve	Reference 'C' Curve	Price £ Each
6	30mA	DRCBO-4B06/0.03/3N-A	DRCBO-4C06/0.03/3N-A	161.30
10	30mA	DRCBO-4B10/0.03/3N-A	DRCBO-4C10/0.03/3N-A	161.30
16	30mA	DRCBO-4B16/0.03/3N-A	DRCBO-4C16/0.03/3N-A	161.30
20	30mA	DRCBO-4B20/0.03/3N-A	DRCBO-4C20/0.03/3N-A	161.30
25	30mA	DRCBO-4B25/0.03/3N-A	DRCBO-4C25/0.03/3N-A	161.30
32	30mA	DRCBO-4B32/0.03/3N-A	DRCBO-4C32/0.03/3N-A	161.30
40	30mA	DRCBO-4B40/0.03/3N-A*	DRCBO-4C40/0.03/3N-A*	161.30

* NOTE: These devices are 5 Modules Wide

B & C curve devices are the same price.

RCBO & CBR Accessories

RCBO Auxiliary Switches

Module	Description	Reference	Price £ Each
0.5	2 C/O contacts	DHi-12 (2 pole)	29.25
0.5	1 C/O contact	DRCBO 4 Hi 1(4 pole)	29.25

RCBO Shunt trip

Description	Reference	Price £ Each
For 2pole RCBOs	FAM 1	23.90

Enclosure N7 IP54 - for DFL8 'A', 'BNK' & 'BSK' Devices

Description	Reference	Price £ Each
DFL8-N7-ENCLOSURE		730.90

CBRs Type A

Amps	Sensitivity	4 Pole Moulded Case Reference	Price £ Each
100	30mA	DFL8-100-4/0.03-A	2145.45
125	30mA	DFL8-125-4/0.03-A	2145.45
160	30mA	DFL8-160-4/0.03-A	2286.90
200	30mA	DFL8-200-4/0.03-A	2461.40
250	30mA	DFL8-250-4/0.03-A	2640.55

Amps	Sensitivity	4 Pole Moulded Case Adjustable	Price £ Each
100	Adjustable	DFL8-100-4/X-A	2145.45
125	Adjustable	DFL8-125-4/X-A	2145.45
160	Adjustable	DFL8-160-4/X-A	2286.90
200	Adjustable	DFL8-200-4/X-A	2461.40
250	Adjustable	DFL8-250-4/X-A	2640.55

CBRs Type BNK

Amps	Sensitivity	4 Pole Moulded Case Reference	Price £ Each
100	30mA	DFL8-100-4/0.03-BNK	3331.80
125	30mA	DFL8-125-4/0.03-BNK	3331.80
160	30mA	DFL8-160-4/0.03-BNK	3469.25
200	30mA	DFL8-200-4/0.03-BNK	3642.75
250	30mA	DFL8-250-4/0.03-BNK	3818.75

Amps	Sensitivity	4 Pole Moulded Case Adjustable	Price £ Each
100	Adjustable	DFL8-100-4/X-BNK	3331.80
125	Adjustable	DFL8-125-4/X-BNK	3331.80
160	Adjustable	DFL8-160-4/X-BNK	3469.25
200	Adjustable	DFL8-200-4/X-BNK	3642.75
250	Adjustable	DFL8-250-4/X-BNK	3818.75

CBRs Type BSK

Amps	Sensitivity	4 Pole Moulded Case Reference	Price £ Each
100	30mA	DFL8-100-4/0.03-BSK	3231.45
125	30mA	DFL8-125-4/0.03-BSK	3231.45
160	30mA	DFL8-160-4/0.03-BSK	3365.25
200	30mA	DFL8-200-4/0.03-BSK	3533.55
250	30mA	DFL8-250-4/0.03-BSK	3703.15

Amps	Sensitivity	4 Pole Moulded Case Adjustable	Price £ Each
100	Adjustable	DFL8-100-4/X-BSK	3231.45
125	Adjustable	DFL8-125-4/X-BSK	3231.45
160	Adjustable	DFL8-160-4/X-BSK	3365.25
200	Adjustable	DFL8-200-4/X-BSK	3533.55
250	Adjustable	DFL8-250-4/X-BSK	3703.15

Miniature Circuit Breakers - DLS6

Miniature Circuit Breakers 'B' Curve (single, double, triple & four pole)

			1 Pole 1 Module		2 Pole 2 Module		3 Pole 3 Module		4 Pole 4 Module	
Amps	Breaking Capacity	Reference	Pack Qty.	Price £ Each	Pack Qty.	Price £ Each	Pack Qty.	Price £ Each	Pack Qty.	Price £ Each
6A	10kA	DLS6-IB6/P	12	13.85	6	40.40	4	49.50	3	60.35
10A	10kA	DLS6-IB10/P	12	13.85	6	40.40	4	49.50	3	60.35
16A	10kA	DLS6-IB16/P	12	13.85	6	40.40	4	49.50	3	60.35
20A	10kA	DLS6-IB20/P	12	13.85	6	40.40	4	49.50	3	60.35
25A	10kA	DLS6-IB25/P	12	13.85	6	40.40	4	49.50	3	60.35
32A	10kA	DLS6-IB32/P	12	13.85	6	40.40	4	49.50	3	60.35
40A	10kA	DLS6-IB40/P	12	13.85	6	40.40	4	49.50	3	60.35
50A	10kA	DLS6-IB50/P	12	15.65	6	45.75	4	55.95	3	65.90
63A	10kA	DLS6-IB63/P	12	15.65	6	45.75	4	55.95	3	65.90

Miniature Circuit Breakers 'C' Curve (single, double, triple & four pole)

			1 Pole 1 Module		2 Pole 2 Module		3 Pole 3 Module		4 Pole 4 Module	
Amps	Breaking Capacity	Reference	Pack Qty.	Price £ Each	Pack Qty.	Price £ Each	Pack Qty.	Price £ Each	Pack Qty.	Price £ Each
4A	10kA	DLS6-IC4/P	12	14.65	6	42.15	4	51.40	3	65.90
6A	10kA	DLS6-IC6/P	12	13.85	6	40.40	4	49.50	3	60.35
10A	10kA	DLS6-IC10/P	12	13.85	6	40.40	4	49.50	3	60.35
16A	10kA	DLS6-IC16/P	12	13.85	6	40.40	4	49.50	3	60.35
20A	10kA	DLS6-IC20/P	12	13.85	6	40.40	4	49.50	3	60.35
25A	10kA	DLS6-IC25/P	12	13.85	6	40.40	4	49.50	3	60.35
32A	10kA	DLS6-IC32/P	12	13.85	6	40.40	4	49.50	3	60.35
40A	10kA	DLS6-IC40/P	12	13.85	6	40.40	4	49.50	3	60.35
50A	10kA	DLS6-IC50/P	12	15.65	6	45.75	4	55.95	3	65.90
63A	10kA	DLS6-IC63/P	12	15.65	6	45.75	4	55.95	3	65.90

Miniature Circuit Breakers 'D' Curve (single, double, triple & 4 pole)

			1 Pole 1 Module		2 Pole 2 Module		3 Pole 3 Module		4 Pole 4 Module	
Amps	Breaking Capacity	Reference	Pack Qty.	Price £ Each	Pack Qty.	Price £ Each	Pack Qty.	Price £ Each	Pack Qty.	Price £ Each
4A	10kA	DLS6-ID4/P	12	14.65	6	42.15	4	51.40	3	65.90
6A	10kA	DLS6-ID6/P	12	13.85	6	40.40	4	49.50	3	60.35
10A	10kA	DLS6-ID10/P	12	13.85	6	40.40	4	49.50	3	60.35
16A	10kA	DLS6-ID16/P	12	13.85	6	40.40	4	49.50	3	60.35
20A	10kA	DLS6-ID20/P	12	13.85	6	40.40	4	49.50	3	60.35
25A	10kA	DLS6-ID25/P	12	13.85	6	40.40	4	49.50	3	60.35
32A	10kA	DLS6-ID32/P	12	13.85	6	40.40	4	49.50	3	60.35
40A	10kA	DLS6-ID40/P	12	13.85	6	40.40	4	49.50	3	60.35
50A	6kA	DLS6-ID50/P	12	15.65	6	45.75	4	55.95	3	65.90
63A	6kA	DLS6-ID63/P	12	15.65	6	45.75	4	55.95	3	65.90

Note: Substitute '1', '2', '3' or '4' for 'P' in the reference when ordering

MCB Accessories (DLS6)

Auxiliary Switches for DLS6 MCBs

Modules	Description	Reference	£ Each
0.5	1 N/O	DHi-3	29.25
0.5	1 N/O + 1 N/C	DHi-4	29.25
0.5	1 N/O + 2 N/C	DHi-5	29.25
0.5	2 N/O + 1 N/C	DHi-6	29.25
0.5	1 C/O	DHi-7	29.25
0.5	2 C/O	DHi-8	29.25

Fault signalling for DLS6 MCBs

Modules	Description	Reference	£ Each
0.5	1 C/O	DHi-S10	29.25
0.5	1 N/O + 1 N/C	DHi-S11	29.25

Shunt trip for DLS6 MCBs

Modules	Description	Reference	£ Each
1	Uc AC =24v	DASA-24	31.15
1	Uc AC =230v	DASA-230	31.15

Locking Device for DLS6 MCBs

Description	Reference	£ Each
Lockable with padlock (not supplied)	DEASS	6.10

MCB Accessories (DMCB2)

Auxiliary Switch for DMCB2

Modules	Description	Reference	£ Each
0.5	1 N/O + 1 N/C	DMCB2-Hi1	31.05

Shunt trip for DMCB2

Modules	Description	Reference	£ Each
1.0	Uc AC =110-415v Uc DC =110-230v	DMCB2-ASA1	43.40

MCBs 'C' Curve (DMCB2)

Single Pole (27mm NON-STANDARD MODULE)

Standard Module	Poles	Amps	Breaking Capacity	Reference	Pack Qty.	Price £ Each
1.5	1	80A	10kA	DMCB2-C080/1	1	58.20
1.5	1	100A	10kA	DMCB2-C100/1	1	58.20
1.5	1	125A	7.5kA	DMCB2-C125/1	1	58.20

Double Pole (27mm NON-STANDARD MODULE)

Standard Module	Poles	Amps	Breaking Capacity	Reference	Pack Qty.	Price £ Each
3	2	80A	10kA	DMCB2-C080/2	1	88.55
3	2	100A	10kA	DMCB2-C100/2	1	88.55
3	2	125A	7.5kA	DMCB2-C125/2	1	88.55

Triple Pole (27mm NON-STANDARD MODULE)

Standard Module	Poles	Amps	Breaking Capacity	Reference	Pack Qty.	Price £ Each
4.5	3	80A	10kA	DMCB2-C080/3	1	133.70
4.5	3	100A	10kA	DMCB2-C100/3	1	133.70
4.5	3	125A	7.5kA	DMCB2-C125/3	1	133.70

Four Pole (27mm NON-STANDARD MODULE)

Standard Module	Poles	Amps	Breaking Capacity	Reference	Pack Qty.	Price £ Each
6	4	80A	10kA	DMCB2-C080/4	1	208.05
6	4	100A	10kA	DMCB2-C100/4	1	208.05
6	4	125A	7.5kA	DMCB2-C125/4	1	208.05



Arc Fault Detection Devices

AFDD + RCBO function Two Pole Type A & AKV

		Type:		A	A-KV
Amps	Sensitivity	Reference 'B' Curve	Reference 'C' Curve	Price £ Each	Price £ Each
10	30mA	DAFDD-1.B10/0.03/2-	DAFDD-1.C10/0.03/2-	171.35	186.75
16	30mA	DAFDD-1.B16/0.03/2-	DAFDD-1.C16/0.03/2-	171.35	186.75
20	30mA	DAFDD-1.B20/0.03/2-	DAFDD-1.C20/0.03/2-	171.35	186.75
25	30mA	DAFDD-1.B25/0.03/2-	DAFDD-1.C25/0.03/2-	171.35	186.75
32	30mA	DAFDD-1.B32/0.03/2-	DAFDD-1.C32/0.03/2-	171.35	186.75
40	30mA	DAFDD-1.B40/0.03/2-	DAFDD-1.C40/0.03/2-	171.35	186.75

Note: Add 'A' or 'AKV' to the reference when ordering (B & C curve devices are the same price.)

Enclosed Metal Isolators - IP65

AC22 Amps	3 Pole with N link		3 Pole + Switched N	
	Reference	Price £ Each	Reference	Price £ Each
20	AS-3020	112.80	N/A	N/A
32	AS-3032	115.95	N/A	N/A
63	AS-3063	137.65	N/A	N/A
100	AS-3100	186.35	AS-4100	285.90
160	AS-3160	293.50	AS-4160	454.40
200	AS-3200	357.60	AS-4200	541.90
250	AS-3250	565.50	AS-4250	662.75
400	AS-3400	865.45	AS-4400	951.95
630	AS-3630	1181.15	AS-4630	1518.30

Enclosed Metal Switchfuses - IP65

AC22 Amps	3 Pole with N link		3 Pole + Switched N	
	Reference	Price £ Each	Reference	Price £ Each
20	ASF-3020	175.00	N/A	N/A
32	ASF-3032	225.00	N/A	N/A
63	ASF-3063	252.65	ASF-4063	426.65
100	ASF-3100	416.35	ASF-4100	541.90
160	ASF-3160	568.25	ASF-4160	745.85
200	ASF-3200	726.20	ASF-4200	862.25
250	ASF-3250	1337.60	ASF-4250	1562.60
400	ASF-3400	1484.50	ASF-4400	1815.35
630	ASF-3630	2619.10	ASF-4630	3248.20

Spreader Kits

Reference	Suitable for	Price £ Each
AX-02	AS/ASF 160-400A, AS-630	144.85
AX-04	ASF-630	463.05

Auxiliary Contacts

Reference	Suitable for	Price £ Each
OA1G10	AS-20A to AS-630A & ASF-32A to ASF-630A	16.65
OA4B10	ASF-20A	20.15

18th Edition Consumer Units - Metal

SPLIT LOAD - Dual RCCB (Type A)

Isolator Rating	RCCB 1 Rating	RCCB 2 Rating	Usable Ways	METAL Reference	Price £ Each
100A	63A 30mA	63A 30mA	8	DCM08SL/063/063	205.60
100A	63A 30mA	63A 30mA	12	DCM12SL/063/063	241.55
100A	63A 30mA	63A 30mA	18	DCM18SL/063/063	260.75
100A	63A 30mA	63A 30mA	22	DCM22SL/063/063	276.00

C/Unit Enclosures

Metal Enclosures

Modules	Reference	Price £ Each
6	DME 06	92.85
10	DME 10	97.35
14	DME 14	107.45
18	DME 18	121.05
24	DME 24	142.55
28	DME 28	158.15

SPLIT LOAD - Single RCCB (Type A)

Isolator Rating	RCCB Rating	Total Ways	METAL Reference	Price £ Each
100A	63A 30mA	6	DCM06SL/063	144.20
100A	63A 30mA	10	DCM10SL/063	164.55
100A	63A 30mA	14	DCM14SL/063	189.15

RCCB (Type A) as main switch

RCCB Type A Rating	Total Ways	METAL Reference	Price £ Each
63A 30mA	4	DCMR04/063	115.30
100A 30mA	4	DCMR04/100	136.65
63A 30mA	8	DCMR08/063	137.65

Consumer Units for Heat Pump installations

SPLIT LOAD - Dual RCCB (Type A & B)


Isolator Rating	RCCB 1 Type A	RCCB 2 Type B	Usable Ways	METAL Reference	Price £ Each
100A	63A 30mA	40A 30mA HP	8	DCM08SL/063/040HP	608.10
100A	63A 30mA	40A 30mA BSK	12	DCM12SL/063/040BSK	699.00

* Type B HP < 20 kHz detection range
suitable for most HPs

* Type B SK < 150 kHz detection range
for large commercial HPs

SPLIT LOAD - Single RCCB 30mA Type B

Isolator Rating	RCCB Rating	Total Ways	METAL Reference	Price £ Each
100A	40A HP	6	DCM06SL/040HP	546.70
100A	40A BSK	6	DCM06SL/040BSK	642.30



18th Edition Cons/Units - Metal

ISOLATOR as main switch

Isolator Rating	Total Ways	METAL Reference	Price £ Each
100A	4	DCM04	107.30
100A	8	DCM08	121.00
100A	12	DCM12	125.00
100A	16	DCM16	143.60
100A	22	DCM22	156.55
100A	26	DCM26	175.35

Conversion kit - to 2P RCBOs for DCM26

Reference	Price £ Each
DCM26-2PRCBO	56.85

Garage Units - IP2X

Garage Units

Metal IP2X

RCCB Type AC Rating	Outgoing 1	MCB Ratings 2	Reference	Price £ Each
40A 30mA	16A	6A	DGU1.MP2X	129.00

Modular Enclosures

Metal Modular Enclosures

Modules	IP Rating	Reference	£ Each
4	IP 20	DMMEX 4	74.60
6	IP 20	DMMEX 6	82.65
10	IP 20	DMMEX 10	86.55



Wiring Accessories

Busbars -70 Amp (end feed)

Product	Ways	Reference	Price £ Each
Forked Single Pole	2	EV.S.G.1.2	2.55
Forked Single Pole	3	EV.S.G.1.3	2.95
Forked Single Pole	6	EV.S.G.1.6	3.35
Forked Single Pole	12	EV.S.G.1.12	6.75

Busbars -63 Amp (central feed = 120A)

Product	Ways	Reference	Price £ Each
Forked Double Pole	2	EV.S.G.2.4	3.35
Forked Double Pole	3	EV.S.G.2.6	4.20
Forked Double Pole	4	EV.S.G.2.8	4.85
Forked Double Pole	6	EV.S.G.2.12	8.10
Forked Triple Pole	2	EV.S.G.3.6	7.50
Forked Triple Pole	3	EV.S.G.3.9	9.35
Forked Triple Pole	4	EV.S.G.3.12	10.85
Forked Four Pole	2	EV.S.G.4.8	10.10
Forked Four Pole	3	EV.S.G.4.12	11.90

Busbars -80 Amp (1m cut-to-length)

Description	Ways	Reference	Price £ Each
L1+N, L2+N, L3+N	54	GM.3.54.130/16/N	99.15
L1, L2, L3, N	56	GM.4.56.130/16	99.15
End Cap for GM.3/4	N/A	EK-4	2.10

Terminals

Product	Rating	Reference	Price £ Each
Forked Terminal	70A 25mm²	AS/25.G	1.90
Prong Terminal	70A 25mm²	AS/25.S	1.90
Interlocking	150A 35mm²	ES/35.G	5.45

Blanks

Type	Size/Qty	Reference	Price £ Each
Module Blanking	6 Module	BLANKS-W	1.80
Phase Position	Strip of 5	EV-S-BS	3.35

Neutral/Earth Bars

Type	Ways	Reference	Price £ Each
Blue N-bar	7	LK/N7	4.95
Blue N-bar	12	LK/N12	7.75
Green E-bar	7	LK/S7	4.95
Green E-bar	12	LK/S12	7.75



Modular Contactors**Main Switches****Contactors**

Voltage	Amps	Modules	Reference	Price £ Each
230	20	1	HS20-02	28.55
230	20	1	HS20-11	28.55
230	20	1	HS20-20	28.55
230	25	2	HS25-04	47.60
230	25	2	HS25-22	47.60
230	25	2	HS25-31	47.60
230	25	2	HS25-40	47.60
230	40	3	HS40-04	96.45
230	40	2	HS40-20s	72.00
230	40	3	HS40-22	96.45
230	40	3	HS40-31	96.45
230	40	3	HS40-40	96.45
230	63	2	HS63-20s	91.55
230	63	3	HS63-22	119.15
230	63	3	HS63-31	119.15
230	63	3	HS63-40	119.15

Main Switches (AC22a)

Amps	Poles	Modules	Reference	Price £ Each
100	2	2	DHS 2-100	20.50
125	2	2	DHS 2-125	47.70
100	4	4	DHS 4-100	49.20
125	4	4	DHS 4-125	63.15

Main Switches (AC23a)

Amps	Poles	Modules	Reference	Price £ Each
100	2	2	RH 100-200	19.25
100	3	3	RH 100-300	21.35
100	4	4	RH 100-400	47.65

Contactor Accessories**Main Switch Accessories****Auxiliary Switch for HS Contactors**

Modules	Description	Reference	£ Each
0.5	1 N/O + 1 N/C	HS11	20.40

Terminal Covers for Main Switches

Modules	Description	Reference	£ Each
2	2 pole DHS	KA-DFS2	0.45
4	4 pole DHS	KA-DFS4	0.45

Control**Time Switches****Twilight Switches****Time Switches (electromechanical)**

Switching	Max. Load			Modules	Reference	Price £ Each
	Resistive	Inductive	Reserve			
24 Hour	16A	4A	No	1	UNO-D	44.00
24 Hour	16A	4A	Yes	1	UNO-QRD	52.35
7 Day	16A	4A	Yes	1	UNO-QRS	57.80

Wall Mounting Twilight Switch

Rating:16A

Colour	Adjustable Timer	Lux Level	Reference	Price £ Each
White	No	1-200	DASY-016-2-230V-WE	42.15
White	No	10-1000	DASY-016-2.1-230V-WE	42.15
White	Yes	1-200	DASY-016-2-230V-TC-WE	50.25

Time Switches (electronic with power reserve)

Switching	Max. Load		Storage Locations	Modules	Reference	Price £ Each
	Resistive	Inductive				
24 Hour & 7 Day	16A	10A	32	2	DATAMICRO	74.20
24 Hour & 7 Day	16A	10A	64	2	DATAMICRO2	89.75
24 Hour & 7 Day	16A	10A	64	2	DTSW-ASTRO-1	81.50



Earth Leakage Relays & Transformers (Contrel)

Earth Leakage Relays - Type A (remote transformer)

Modules	Contacts C/O	Setting range	Reference	Price £ Each
2.5	1	0.025 < 25 A	ELR-3C	230.15
3	1	0.03 < 1 A	ELR-3E1	230.15

Earth Leakage Relays - Type A (with built-in transformer)

Internal Diameter	Contacts C/O	Setting range	Reference	Price £ Each
35mm	1	0.025 < 25 A	ELRC-1/35	283.45
60mm	1	0.025 < 25 A	ELRC-1/60	300.20
80mm	1	0.025 < 25 A	ELRC-1/80	328.50
110mm	1	0.025 < 25 A	ELRC-1/110	346.85

Earth Leakage Relays - Type BN (transformer CTB2)

Modules	Contacts C/O	Control Supply	Setting range	Reference	Price £ Each
3	2	110-230V AC	0.3A < 10A	ELR 3BN	590.00



Toroidal Transformers - Type A

Description			Reference	Price £ Each
For use with Remote Type A Relays	Internal Diameter 35mm		CT-1/35	76.60
	Internal Diameter 60mm		CT-1/60	91.75
	Internal Diameter 80mm		CT-1/80	111.65
	Internal Diameter 110mm		CT-1/110	130.10
	Internal Diameter 160mm		CT-1/160	345.20
	Internal Diameter 210mm		CT-1/210	363.60
	Internal Diameter 300mm		CT-1/300	426.40

Toroidal Transformers - Type B (CTB-2)

Description			Reference	Price £ Each
For use with Type BN Relays	Internal Diameter 35mm	CTB-2/35		273.05
	Internal Diameter 60mm	CTB-2/60		407.20
	Internal Diameter 80mm	CTB-2/80		464.50
	Internal Diameter 110mm	CTB-2/110		638.80
	Internal Diameter 160mm	CTB-2/160		1031.35
	Internal Diameter 210mm	CTB-2/210		1714.00

Terms and Conditions of Sale

TERMS

Strictly nett. In the event of default in payment by the customer in accordance with agreed terms the Company shall be entitled to suspend all deliveries without notice.

NEW ACCOUNTS

Prospective customers wishing to open accounts should apply on the appropriate application form, acknowledging these Terms and Conditions. Until such time as an account has been opened goods will only be supplied if a remittance accompanies the order for the goods.

PRICES

(a) Unless otherwise agreed by us in writing, all prices stated are those ruling at the date of quotation or acceptance of the order and will be subject to adjustment to the prices ruling at the date of despatch.

(b) Prices shown do not include VAT, which will be shown on invoices as a separate charge at the appropriate rate.

MINIMUM INVOICE VALUE

The minimum invoice value is £10.00 excluding VAT and any carriage charges.

DELIVERY/DESPATCH

(a) A Carriage Charge will normally be applied to most orders to UK mainland destinations by our normal transport arrangements. The sales office may waive the Carriage Charge for orders of high net invoice value. Carriage charges for orders to other destinations will be quoted according to destination, weight and volume.

(b) Whilst we endeavour to maintain delivery dates, it is a condition that we shall not be liable for damages (direct, consequential or otherwise) for late delivery, nor under any other liability in respect thereto.

CLAIMS

Written notification for claims regarding shortages, non-delivery or damage to goods to be submitted within 5 days from date of delivery, otherwise no liability will be accepted by the Company.

RETURN OF GOODS

The return of goods will only be accepted by prior agreement and must be carriage paid. A handling charge will be payable.

PACK QUANTITIES

We reserve the right to supply in pack quantities as detailed in our price list ruling at date of despatch and therefore round orders to the nearest pack quantity above the quantity ordered.

PACKING

Cartons are not charged and are non-returnable.

PATENTS

(a) Some products in the catalogue are protected by British patents and Registered Designs. It is not possible in all cases to mark each component. Box labels will however contain any relevant information.

(b) The Purchaser shall indemnify us against all damages, penalties, costs and expenses to which we have become liable as a result of work done in accordance with Purchaser's specifications or designs which involves or is alleged to involve the infringement of any copyright, letters patent, patent rights or registered design or similar rights.

HEALTH AND SAFETY AT WORK ACT 1974

Statements to Purchasers and Prospective Purchasers

Section 6 of the Act provides that the manufacturers, designers, importers or suppliers of articles for use at work shall have a duty to ensure, so far as is reasonably practicable, that the article will be safe and without risk to health when properly used. An article is not regarded as being "properly used" if it is used without regard to any relevant information or advice relating to its use made available by the manufacturer, designer, importer or supplier.

PRODUCT LIABILITY

(a) The Purchaser relies on his own skill and judgement as to the suitability of all goods offered and supplied for any particular purpose or for use under any specific conditions.

(b) In the event of any article supplied proving defective in material or workmanship, within a twelve month period we undertake to replace or repair this free of charge, which shall be the limit of our responsibility. We do not accept liability for any other costs, direct or indirect arising from such defective goods. Defective goods are to be returned to ourselves for investigation purposes if we so request.

RISK AND TITLE

1. The goods shall remain the sole and absolute property of the Company until such times as the buyer shall have paid to the Company the purchase price together with the full price that is outstanding of any other goods the subject of any other Contract between the buyer and the Company. The buyer acknowledges that he is in possession of the goods solely as Bailees for the Company until such time as the full price is paid thereof to the Company together with the full price outstanding of any other goods the subject of any other Contract between the Company and the buyer. The buyer agrees that until such time as he becomes the owner of the goods, he will store them in a manner which makes them readily identifiable as the goods of the Company. The buyer's rights to possession of the goods shall cease if he, not being a Company commits an act of bankruptcy or if he, being a Company does anything or fails to do anything which would entitle the receiver to take possession of any assets or which would enable any person to represent a Petition for Winding up. The Company may for the purposes of recovery of its goods enter upon any premises where they are stored or where they are reasonably thought to be stored and then re-possess the same.

Subject to the terms hereof the buyer is licensed by the Company to agree to sell on the Company's goods subject to the express condition that such an agreement to sell shall take place as agents and Bailees for the Company whether the buyer sells on his own account or not and that the entire proceeds thereof are held in trust for the Company and shall be at all times identifiable as the Company's monies. If the buyer has not received the proceeds of any such sale he may be called upon to do so by the Company and will within seven days thereof assign to the Company all right relating to payment against the person or persons to whom he has supplied the Company's goods.

2. All invoiced goods remain the property of Doepke UK Limited until payment is received in full.

Doepke UK Ltd

is a subsidiary of:

Doepke Schaltgeräte GmbH
Stellmacherstraße 11
26506 Norden, Germany

Doepke

The safest way to use electricity



Circuit Protection



Distribution Equipment



Power Switching



Control

Doepke UK Ltd

3, Bentley Way
Royal Oak Industrial Estate
Daventry, Northants. NN11 8QH

Tel: 01628 829133 Fax: 01327 878749

Website: www.doepke.co.uk



Monitoring