


# Doepke

TRADE PRICES: APRIL 2021



**Circuit Protection  
Distribution Equipment  
Power Switching  
Control & Monitoring**

A subsidiary of:  
**Doepke Schaltgeräte GmbH**  
Stellmacherstraße 11  
26506 Norden, Germany

**There's no safest way to use electricity**

### Residual Current Devices (RCCBs) Type A, F, AKV & AC

| Amps | Sensitivity | Type:                     | A            | F            | AKV          | AC           |
|------|-------------|---------------------------|--------------|--------------|--------------|--------------|
|      |             | 2 Pole 2 Module Reference | Price £ Each | Price £ Each | Price £ Each | Price £ Each |
| 16   | 10mA        | DFS2-016-2/0.01           | 58.60        | N/A          | POA          | 53.30        |
| 16   | 30mA        | DFS2-016-2/0.03           | 58.60        | 99.10        | 99.10        | 53.30        |
| 16   | 100mA       | DFS2-016-2/0.10           | 58.60        | 99.10        | 99.10        | 53.30        |
| 16   | 300mA       | DFS2-016-2/0.30           | 58.60        | 99.10        | 99.10        | 53.30        |
| 16   | 500mA       | DFS2-016-2/0.50           | 58.60        | 99.10        | POA          | N/A          |
| 25   | 30mA        | DFS2-025-2/0.03           | 58.60        | 99.10        | 99.10        | 53.30        |
| 25   | 100mA       | DFS2-025-2/0.10           | 58.60        | 99.10        | 99.10        | 53.30        |
| 25   | 300mA       | DFS2-025-2/0.30           | 58.60        | 99.10        | 99.10        | 53.30        |
| 25   | 500mA       | DFS2-025-2/0.50           | 58.60        | 99.10        | POA          | N/A          |
| 40   | 10mA        | DFS2-040-2/0.01           | 62.10        | N/A          | POA          | 56.45        |
| 40   | 30mA        | DFS2-040-2/0.03           | 62.10        | 104.95       | 104.95       | 56.45        |
| 40   | 100mA       | DFS2-040-2/0.10           | 62.10        | 104.95       | 104.95       | 56.45        |
| 40   | 300mA       | DFS2-040-2/0.30           | 62.10        | 104.95       | 104.95       | 56.45        |
| 40   | 500mA       | DFS2-040-2/0.50           | 62.10        | 104.95       | POA          | N/A          |
| 63   | 30mA        | DFS2-063-2/0.03           | 74.25        | 125.50       | 125.50       | 67.60        |
| 63   | 100mA       | DFS2-063-2/0.10           | 74.25        | 125.50       | 125.50       | 67.60        |
| 63   | 300mA       | DFS2-063-2/0.30           | 74.25        | 125.50       | 125.50       | 67.60        |
| 63   | 500mA       | DFS2-063-2/0.50           | 74.25        | 125.50       | POA          | 67.60        |
| 80   | 30mA        | DFS2-080-2/0.03           | 90.05        | 152.25       | 152.25       | 81.90        |
| 80   | 100mA       | DFS2-080-2/0.10           | 90.05        | 152.25       | 152.25       | 81.90        |
| 80   | 300mA       | DFS2-080-2/0.30           | 90.05        | 152.25       | 152.25       | 81.90        |
| 80   | 500mA       | DFS2-080-2/0.50           | 90.05        | 152.25       | POA          | N/A          |
| 100  | 30mA        | DFS2-100-2/0.03           | 96.60        | 163.30       | 163.30       | 87.80        |
| 100  | 100mA       | DFS2-100-2/0.10           | 96.60        | 163.30       | 163.30       | 87.80        |
| 100  | 300mA       | DFS2-100-2/0.30           | 96.60        | 163.30       | 163.30       | 87.80        |
| 100  | 500mA       | DFS2-100-2/0.50           | 96.60        | 163.30       | POA          | N/A          |
| 125  | 30mA        | DFS2-125-2/0.03           | 129.70       | 219.15       | 219.15       | 117.85       |
| 125  | 100mA       | DFS2-125-2/0.10           | 129.70       | 219.15       | 219.15       | 117.85       |
| 125  | 300mA       | DFS2-125-2/0.30           | 129.70       | 219.15       | 219.15       | 117.85       |
| 125  | 500mA       | DFS2-125-2/0.50           | 129.70       | 219.15       | POA          | 117.85       |

| Amps | Sensitivity | Type:                     | A            | F            | AKV          | AC           |
|------|-------------|---------------------------|--------------|--------------|--------------|--------------|
|      |             | 4 Pole 4 Module Reference | Price £ Each | Price £ Each | Price £ Each | Price £ Each |
| 16   | 10mA        | DFS4-016-4/0.01           | 67.60        | N/A          | POA          | 56.30        |
| 16   | 30mA        | DFS4-016-4/0.03           | 67.60        | 131.80       | 131.80       | 56.30        |
| 16   | 100mA       | DFS4-016-4/0.10           | 67.60        | 131.80       | 131.80       | N/A          |
| 16   | 300mA       | DFS4-016-4/0.30           | 67.60        | 131.80       | 131.80       | 56.30        |
| 16   | 500mA       | DFS4-016-4/0.50           | 67.60        | 131.80       | POA          | N/A          |
| 25   | 30mA        | DFS4-025-4/0.03           | 67.60        | 131.80       | 131.80       | 56.30        |
| 25   | 100mA       | DFS4-025-4/0.10           | 67.60        | 131.80       | 131.80       | 56.30        |
| 25   | 300mA       | DFS4-025-4/0.30           | 67.60        | 131.80       | 131.80       | 56.30        |
| 25   | 500mA       | DFS4-025-4/0.50           | 67.60        | 131.80       | POA          | 56.30        |
| 40   | 10mA        | DFS4-040-4/0.01           | N/A          | N/A          | N/A          | N/A          |
| 40   | 30mA        | DFS4-040-4/0.03           | 86.40        | 168.60       | 168.60       | 72.00        |
| 40   | 100mA       | DFS4-040-4/0.10           | 86.40        | 168.60       | 168.60       | 72.00        |
| 40   | 300mA       | DFS4-040-4/0.30           | 86.40        | 168.60       | 168.60       | 72.00        |
| 40   | 500mA       | DFS4-040-4/0.50           | 86.40        | 168.60       | POA          | 72.00        |
| 63   | 30mA        | DFS4-063-4/0.03           | 93.65        | 182.70       | 182.70       | 78.05        |
| 63   | 100mA       | DFS4-063-4/0.10           | 93.65        | 182.70       | 182.70       | 78.05        |
| 63   | 300mA       | DFS4-063-4/0.30           | 93.65        | 182.70       | 182.70       | 78.05        |
| 63   | 500mA       | DFS4-063-4/0.50           | 93.65        | 182.70       | POA          | 78.05        |
| 80   | 30mA        | DFS4-080-4/0.03           | 112.55       | 219.45       | 219.45       | 93.85        |
| 80   | 100mA       | DFS4-080-4/0.10           | 112.55       | 219.45       | 219.45       | 93.85        |
| 80   | 300mA       | DFS4-080-4/0.30           | 112.55       | 219.45       | 219.45       | 93.85        |
| 80   | 500mA       | DFS4-080-4/0.50           | 112.55       | 219.45       | POA          | 93.85        |
| 100  | 30mA        | DFS4-100-4/0.03           | 179.15       | 349.35       | 349.35       | 149.35       |
| 100  | 100mA       | DFS4-100-4/0.10           | 179.15       | 349.35       | 349.35       | 149.35       |
| 100  | 300mA       | DFS4-100-4/0.30           | 179.15       | 349.35       | 349.35       | 149.35       |
| 100  | 500mA       | DFS4-100-4/0.50           | 179.15       | 349.35       | POA          | 149.35       |
| 125  | 30mA        | DFS4-125-4/0.03           | 338.45       | 660.00       | 660.00       | 282.05       |
| 125  | 100mA       | DFS4-125-4/0.10           | 338.45       | 660.00       | 660.00       | 282.05       |
| 125  | 300mA       | DFS4-125-4/0.30           | 338.45       | 660.00       | 660.00       | 282.05       |
| 125  | 500mA       | DFS4-125-4/0.50           | 338.45       | 660.00       | POA          | 282.05       |

Note: When ordering add '-A', '-F', '-AKV' or '-AC' to the basic reference

### Time Delay RCCBs Type AS

| Amps | Sensitivity | 2 Pole 2 Module Reference | Price £ Each |
|------|-------------|---------------------------|--------------|
| 40   | 100mA       | DFS2-040-2/0.10-AS        | 87.20        |
| 40   | 300mA       | DFS2-040-2/0.30-AS        | 87.20        |
| 40   | 500mA       | DFS2-040-2/0.50-AS        | 87.20        |
| 40   | 1000mA      | DFS2-040-2/1.00-AS        | N/A          |
| 63   | 100mA       | DFS2-063-2/0.10-AS        | 87.20        |
| 63   | 300mA       | DFS2-063-2/0.30-AS        | 87.20        |
| 63   | 500mA       | DFS2-063-2/0.50-AS        | 87.20        |
| 63   | 1000mA      | DFS2-063-2/1.00-AS        | N/A          |
| 80   | 100mA       | DFS2-080-2/0.10-AS        | 101.85       |
| 80   | 300mA       | DFS2-080-2/0.30-AS        | 101.85       |
| 80   | 500mA       | DFS2-080-2/0.50-AS        | 101.85       |
| 80   | 1000mA      | DFS2-080-2/1.00-AS        | N/A          |
| 100  | 100mA       | DFS2-100-2/0.10-AS        | 101.85       |
| 100  | 300mA       | DFS2-100-2/0.30-AS        | 101.85       |
| 100  | 500mA       | DFS2-100-2/0.50-AS        | 101.85       |
| 100  | 1000mA      | DFS2-100-2/1.00-AS        | N/A          |
| 125  | 100mA       | DFS2-125-2/0.10-AS        | N/A          |
| 125  | 300mA       | DFS2-125-2/0.30-AS        | 159.75       |
| 125  | 500mA       | DFS2-125-2/0.50-AS        | N/A          |
| 125  | 1000mA      | DFS2-125-2/1.00-AS        | N/A          |

| Amps | Sensitivity | 4 Pole 4 Module Reference | Price £ Each |
|------|-------------|---------------------------|--------------|
| 40   | 100mA       | DFS4-040-4/0.10-AS        | 103.45       |
| 40   | 300mA       | DFS4-040-4/0.30-AS        | 103.45       |
| 40   | 500mA       | DFS4-040-4/0.50-AS        | 103.45       |
| 40   | 1000mA      | DFS4-040-4/1.00-AS        | 103.45       |
| 63   | 100mA       | DFS4-063-4/0.10-AS        | 103.45       |
| 63   | 300mA       | DFS4-063-4/0.30-AS        | 103.45       |
| 63   | 500mA       | DFS4-063-4/0.50-AS        | 103.45       |
| 63   | 1000mA      | DFS4-063-4/1.00-AS        | 103.45       |
| 80   | 100mA       | DFS4-080-4/0.10-AS        | 169.75       |
| 80   | 300mA       | DFS4-080-4/0.30-AS        | 169.75       |
| 80   | 500mA       | DFS4-080-4/0.50-AS        | 169.75       |
| 80   | 1000mA      | DFS4-080-4/1.00-AS        | 169.75       |
| 100  | 100mA       | DFS4-100-4/0.10-AS        | 169.75       |
| 100  | 300mA       | DFS4-100-4/0.30-AS        | 169.75       |
| 100  | 500mA       | DFS4-100-4/0.50-AS        | 169.75       |
| 100  | 1000mA      | DFS4-100-4/1.00-AS        | 169.75       |
| 125  | 100mA       | DFS4-125-4/0.10-AS        | 395.10       |
| 125  | 300mA       | DFS4-125-4/0.30-AS        | 395.10       |
| 125  | 500mA       | DFS4-125-4/0.50-AS        | 395.10       |
| 125  | 1000mA      | DFS4-125-4/1.00-AS        | 395.10       |



## Residual Current Devices (RCCBs) Type B NK &amp; B SK

|      |             | NK                        |              | SK           |  |                           |              | NK           |  | SK                        |              |              |  | NK |  | SK |  |
|------|-------------|---------------------------|--------------|--------------|--|---------------------------|--------------|--------------|--|---------------------------|--------------|--------------|--|----|--|----|--|
| Amps | Sensitivity | 2 Pole 4 Module Reference | Price £ Each | Price £ Each |  | 4 Pole 4 Module Reference | Price £ Each | Price £ Each |  | 2 Pole 2 Module Reference | Price £ Each | Price £ Each |  |    |  |    |  |
| 16   | 30mA        | DFS4-016-2/0.03-BXX       | 464.95       | 419.10       |  | DFS4-016-4/0.03-BXX       | 643.75       | 592.35       |  | DFS2-016-2/0.03-BXX       | 464.95       | 419.10       |  |    |  |    |  |
| 16   | 100mA       | DFS4-016-2/0.10-BXX       | 464.95       | 419.10       |  | DFS4-016-4/0.10-BXX       | 643.75       | 592.35       |  | DFS2-016-2/0.10-BXX       |              |              |  |    |  |    |  |
| 16   | 300mA       | DFS4-016-2/0.30-BXX       | 406.50       | 365.25       |  | DFS4-016-4/0.30-BXX       | 582.85       | 537.00       |  | DFS2-016-2/0.30-BXX       | 406.50       | 365.25       |  |    |  |    |  |
| 16   | 500mA       | DFS4-016-2/0.50-BXX       | N/A          | 419.10       |  | DFS4-016-4/0.50-BXX       | N/A          | 592.35       |  | DFS2-016-2/0.50-BXX       |              |              |  |    |  |    |  |
| 25   | 30mA        | DFS4-025-2/0.03-BXX       | 464.95       | 419.10       |  | DFS4-025-4/0.03-BXX       | 643.75       | 592.35       |  | DFS2-025-2/0.03-BXX       | 464.95       | 419.10       |  |    |  |    |  |
| 25   | 100mA       | DFS4-025-2/0.10-BXX       | 464.95       | 419.10       |  | DFS4-025-4/0.10-BXX       | 643.75       | 592.35       |  | DFS2-025-2/0.10-BXX       |              |              |  |    |  |    |  |
| 25   | 300mA       | DFS4-025-2/0.30-BXX       | 406.50       | 365.25       |  | DFS4-025-4/0.30-BXX       | 582.85       | 537.00       |  | DFS2-025-2/0.30-BXX       | 406.50       | 365.25       |  |    |  |    |  |
| 25   | 500mA       | DFS4-025-2/0.50-BXX       | N/A          | 419.10       |  | DFS4-025-4/0.50-BXX       | N/A          | 592.35       |  | DFS2-025-2/0.50-BXX       |              |              |  |    |  |    |  |
| 40   | 30mA        | DFS4-040-2/0.03-BXX       | 490.60       | 441.80       |  | DFS4-040-4/0.03-BXX       | 668.95       | 614.55       |  | DFS2-040-2/0.03-BXX       | 490.60       | 441.80       |  |    |  |    |  |
| 40   | 100mA       | DFS4-040-2/0.10-BXX       | 490.60       | 441.80       |  | DFS4-040-4/0.10-BXX       | 668.95       | 614.55       |  | DFS2-040-2/0.10-BXX       |              |              |  |    |  |    |  |
| 40   | 300mA       | DFS4-040-2/0.30-BXX       | 424.15       | 381.80       |  | DFS4-040-4/0.30-BXX       | 602.50       | 554.65       |  | DFS2-040-2/0.30-BXX       | 424.15       | 381.80       |  |    |  |    |  |
| 40   | 500mA       | DFS4-040-2/0.50-BXX       | N/A          | 441.80       |  | DFS4-040-4/0.50-BXX       | N/A          | 614.55       |  | DFS2-040-2/0.50-BXX       |              |              |  |    |  |    |  |
| 63   | 30mA        | DFS4-063-2/0.03-BXX       | 734.95       | 667.95       |  | DFS4-063-4/0.03-BXX       | 912.25       | 840.80       |  | DFS2-063-2/0.03-BXX       | 734.95       | 667.95       |  |    |  |    |  |
| 63   | 100mA       | DFS4-063-2/0.10-BXX       | 734.95       | 667.95       |  | DFS4-063-4/0.10-BXX       | 912.25       | 840.80       |  | DFS2-063-2/0.10-BXX       |              |              |  |    |  |    |  |
| 63   | 300mA       | DFS4-063-2/0.30-BXX       | 649.85       | 588.85       |  | DFS4-063-4/0.30-BXX       | 827.15       | 761.10       |  | DFS2-063-2/0.30-BXX       | 649.85       | 588.85       |  |    |  |    |  |
| 63   | 500mA       | DFS4-063-2/0.50-BXX       | N/A          | 667.95       |  | DFS4-063-4/0.50-BXX       | N/A          | 840.80       |  | DFS2-063-2/0.50-BXX       |              |              |  |    |  |    |  |
| 80   | 30mA        | DFS4-080-2/0.03-BXX       | 1072.95      | 979.75       |  | DFS4-080-4/0.03-BXX       | 1251.30      | 1152.05      |  | DFS2-080-2/0.03-BXX       | 1072.95      | 979.75       |  |    |  |    |  |
| 80   | 100mA       | DFS4-080-2/0.10-BXX       | 1072.95      | 979.75       |  | DFS4-080-4/0.10-BXX       | 1251.30      | 1152.05      |  | DFS2-080-2/0.10-BXX       |              |              |  |    |  |    |  |
| 80   | 300mA       | DFS4-080-2/0.30-BXX       | 956.10       | 873.00       |  | DFS4-080-4/0.30-BXX       | 1134.45      | 1044.20      |  | DFS2-080-2/0.30-BXX       | 956.10       | 873.00       |  |    |  |    |  |
| 80   | 500mA       | DFS4-080-2/0.50-BXX       | N/A          | 979.75       |  | DFS4-080-4/0.50-BXX       | N/A          | 1152.05      |  |                           |              |              |  |    |  |    |  |
| 100  | 30mA        | DFS4-100-2/0.03-BXX       | 1900.05      | 1776.10      |  | DFS4-100-4/0.03-BXX       | 2072.35      | 1942.45      |  |                           |              |              |  |    |  |    |  |
| 100  | 100mA       | DFS4-100-2/0.10-BXX       | 1900.05      | 1776.10      |  | DFS4-100-4/0.10-BXX       | 2072.35      | 1942.45      |  |                           |              |              |  |    |  |    |  |
| 100  | 300mA       | DFS4-100-2/0.30-BXX       | 1401.35      | 1310.70      |  | DFS4-100-4/0.30-BXX       | 1574.70      | 1476.90      |  |                           |              |              |  |    |  |    |  |
| 100  | 500mA       | DFS4-100-2/0.50-BXX       | N/A          | 1776.10      |  | DFS4-100-4/0.50-BXX       | N/A          | 1942.45      |  |                           |              |              |  |    |  |    |  |
| 125  | 30mA        | DFS4-125-2/0.03-BXX       | 1939.40      | 1869.85      |  | DFS4-125-4/0.03-BXX       | 2111.60      | 2042.10      |  |                           |              |              |  |    |  |    |  |
| 125  | 100mA       | DFS4-125-2/0.10-BXX       | 1939.40      | 1869.85      |  | DFS4-125-4/0.10-BXX       | 2111.60      | 2042.10      |  |                           |              |              |  |    |  |    |  |
| 125  | 300mA       | DFS4-125-2/0.30-BXX       | 1441.65      | 1389.30      |  | DFS4-125-4/0.30-BXX       | 1613.95      | 1560.55      |  |                           |              |              |  |    |  |    |  |
| 125  | 500mA       | DFS4-125-2/0.50-BXX       | N/A          | 1869.85      |  | DFS4-125-4/0.50-BXX       | N/A          | 2042.10      |  |                           |              |              |  |    |  |    |  |

Note: When ordering substitute 'NK' or 'SK' for 'XX'

## Residual Current Devices (RCCBs) Type AEV

| Amps | Sensitivity | Modules | Poles | Reference           | £ Each |
|------|-------------|---------|-------|---------------------|--------|
| 25   | 30mA        | 4       | 2     | DFS4-25-2/0.03-A-EV | 305.55 |
| 40   | 30mA        | 4       | 2     | DFS4-40-2/0.03-A-EV | 343.35 |
| 40   | 30mA        | 4       | 4     | DFS4-40-4/0.03-A-EV | 351.90 |
| 63   | 30mA        | 4       | 4     | DFS4-63-4/0.03-A-EV | 531.25 |
| 80   | 30mA        | 4       | 4     | DFS4-83-4/0.03-A-EV | 715.00 |

## RCCB Accessories

## RCCB Auxiliary Switches

| Module | Description   | Reference | Price £ Each |
|--------|---------------|-----------|--------------|
| 0.5    | 1 N/C + 1 C/O | DHI-11    | 23.50        |

## RCCB Accessories

| Terminal shroud              | Reference | Price £ Each |
|------------------------------|-----------|--------------|
| 4 for 2p & 8 for 4 p devices | KA-SHROUD | 0.45         |

## Locking Facility

| Suitable for          | Reference | Price £ Each |
|-----------------------|-----------|--------------|
| RCCBs & Main Switches | WES       | 8.10         |



## Residual Current Circuit Breakers with overload protection (RCBOs & CBRs)

### RCBOs Single Module Type A (+ un-switched neutral)

| Amps | Sensitivity | Reference<br>'B' Curve | Reference<br>'C' Curve | Price<br>£ Each |
|------|-------------|------------------------|------------------------|-----------------|
| 6    | 30mA        | RCBO1-B06/003/1-A      | RCBO1-C06/003/1-A      | 51.30           |
| 10   | 30mA        | RCBO1-B10/003/1-A      | RCBO1-C10/003/1-A      | 51.30           |
| 16   | 30mA        | RCBO1-B16/003/1-A      | RCBO1-C16/003/1-A      | 51.30           |
| 20   | 30mA        | RCBO1-B20/003/1-A      | RCBO1-C20/003/1-A      | 51.30           |
| 25   | 30mA        | RCBO1-B25/003/1-A      | RCBO1-C25/003/1-A      | 51.30           |
| 32   | 30mA        | RCBO1-B32/003/1-A      | RCBO1-C32/003/1-A      | 51.30           |
| 40   | 30mA        | RCBO1-B40/003/1-A      | RCBO1-C40/003/1-A      | 51.30           |
| 45   | 30mA        | RCBO1-B45/003/1-A      | RCBO1-C45/003/1-A      | 51.30           |

### RCBOs Two Pole Type A 2 Modules

| Amps | Sensitivity | Reference<br>'B' Curve | Reference<br>'C' Curve | Price<br>£ Each |
|------|-------------|------------------------|------------------------|-----------------|
| 6    | 30mA        | DRCBO-3B06/0.03/1N-A   | DRCBO-3C06/0.03/1N-A   | 64.70           |
| 10   | 30mA        | DRCBO-3B10/0.03/1N-A   | DRCBO-3C10/0.03/1N-A   | 64.70           |
| 16   | 30mA        | DRCBO-3B16/0.03/1N-A   | DRCBO-3C16/0.03/1N-A   | 64.70           |
| 20   | 30mA        | DRCBO-3B20/0.03/1N-A   | DRCBO-3C20/0.03/1N-A   | 64.70           |
| 25   | 30mA        | DRCBO-3B25/0.03/1N-A   | DRCBO-3C25/0.03/1N-A   | 64.70           |
| 32   | 30mA        | DRCBO-3B32/0.03/1N-A   | DRCBO-3C32/0.03/1N-A   | 64.70           |
| 40   | 30mA        | DRCBO-3B40/0.03/1N-A   | DRCBO-3C40/0.03/1N-A   | 64.70           |

### RCBOs Four pole Type A 4 Modules

| Amps | Sensitivity | Reference<br>'B' Curve | Reference<br>'C' Curve | Price<br>£ Each |
|------|-------------|------------------------|------------------------|-----------------|
| 6    | 30mA        | FIB06-/0.03/3N-A       | FIC06-/0.03/3N-A       | 129.50          |
| 10   | 30mA        | FIB10-/0.03/3N-A       | FIC10-/0.03/3N-A       | 129.50          |
| 16   | 30mA        | FIB16-/0.03/3N-A       | FIC16-/0.03/3N-A       | 129.50          |
| 20   | 30mA        | FIB20-/0.03/3N-A       | FIC20-/0.03/3N-A       | 129.50          |
| 25   | 30mA        | FIB25-/0.03/3N-A       | FIC25-/0.03/3N-A       | 129.50          |
| 32   | 30mA        | FIB32-/0.03/3N-A       | FIC32-/0.03/3N-A       | 129.50          |
| 40   | 30mA        | FIB40-/0.03/3N-A *     | FIC40-/0.03/3N-A *     | 129.50          |

\* NOTE: These devices are 5 Modules Wide

B & C curve devices are the same price.

## RCBO & CBR Accessories

### RCBO Auxiliary Switches

| Module | Description    | Reference            | Price £ Each |
|--------|----------------|----------------------|--------------|
| 0.5    | 2 C/O contacts | DHi-12 (2 pole)      | 23.50        |
| 0.5    | 1 C/O contact  | DRCBO 4 Hi 1(4 pole) | 23.50        |

### RCBO Shunt trip

| Description     | Reference | Price £ Each |
|-----------------|-----------|--------------|
| For 2pole RCBOs | FAM 1     | 19.20        |

### Enclosure N7 IP54 - for DFL8 'A', 'BNK' & 'BSK' Devices

| Description       | Reference | Price £ Each |
|-------------------|-----------|--------------|
| DFL8-N7-ENCLOSURE |           | 587.15       |

### CBRs Type A

| Amps | Sensitivity | 4 Pole Moulded Case<br>Reference | Price<br>£ Each |
|------|-------------|----------------------------------|-----------------|
| 100  | 30mA        | DFL8-100-4/0.03-A                | 1723.55         |
| 125  | 30mA        | DFL8-125-4/0.03-A                | 1723.55         |
| 160  | 30mA        | DFL8-160-4/0.03-A                | 1837.20         |
| 200  | 30mA        | DFL8-200-4/0.03-A                | 1977.40         |
| 250  | 30mA        | DFL8-250-4/0.03-A                | 2121.35         |

| Amps | Sensitivity | 4 Pole Moulded Case<br>Adjustable | Price<br>£ Each |
|------|-------------|-----------------------------------|-----------------|
| 100  | Adjustable  | DFL8-100-4/X-A                    | 1673.95         |
| 125  | Adjustable  | DFL8-125-4/X-A                    | 1673.95         |
| 160  | Adjustable  | DFL8-160-4/X-A                    | 1782.30         |
| 200  | Adjustable  | DFL8-200-4/X-A                    | 1918.80         |
| 250  | Adjustable  | DFL8-250-4/X-A                    | 2057.45         |

### CBRs Type BNK

| Amps | Sensitivity | 4 Pole Moulded Case<br>Reference | Price<br>£ Each |
|------|-------------|----------------------------------|-----------------|
| 100  | 30mA        | DFL8-100-4/0.03-BNK              | 2676.65         |
| 125  | 30mA        | DFL8-125-4/0.03-BNK              | 2676.65         |
| 160  | 30mA        | DFL8-160-4/0.03-BNK              | 2787.05         |
| 200  | 30mA        | DFL8-200-4/0.03-BNK              | 2926.45         |
| 250  | 30mA        | DFL8-250-4/0.03-BNK              | 3067.85         |

| Amps | Sensitivity | 4 Pole Moulded Case<br>Adjustable | Price<br>£ Each |
|------|-------------|-----------------------------------|-----------------|
| 100  | Adjustable  | DFL8-100-4/X-BNK                  | 2676.65         |
| 125  | Adjustable  | DFL8-125-4/X-BNK                  | 2676.65         |
| 160  | Adjustable  | DFL8-160-4/X-BNK                  | 2787.05         |
| 200  | Adjustable  | DFL8-200-4/X-BNK                  | 2926.45         |
| 250  | Adjustable  | DFL8-250-4/X-BNK                  | 3067.85         |

### CBRs Type BSK

| Amps | Sensitivity | 4 Pole Moulded Case<br>Reference | Price<br>£ Each |
|------|-------------|----------------------------------|-----------------|
| 100  | 30mA        | DFL8-100-4/0.03-BSK              | 2596.05         |
| 125  | 30mA        | DFL8-125-4/0.03-BSK              | 2596.05         |
| 160  | 30mA        | DFL8-160-4/0.03-BSK              | 2703.45         |
| 200  | 30mA        | DFL8-200-4/0.03-BSK              | 2838.70         |
| 250  | 30mA        | DFL8-250-4/0.03-BSK              | 2975.00         |

| Amps | Sensitivity | 4 Pole Moulded Case<br>Adjustable | Price<br>£ Each |
|------|-------------|-----------------------------------|-----------------|
| 100  | Adjustable  | DFL8-100-4/X-BSK                  | 2596.05         |
| 125  | Adjustable  | DFL8-125-4/X-BSK                  | 2596.05         |
| 160  | Adjustable  | DFL8-160-4/X-BSK                  | 2703.45         |
| 200  | Adjustable  | DFL8-200-4/X-BSK                  | 2838.70         |
| 250  | Adjustable  | DFL8-250-4/X-BSK                  | 2975.00         |



## Miniature Circuit Breakers - DLS6

### Miniature Circuit Breakers 'B' Curve (single, double, triple & four pole)

|      |                   |             | 1 Pole 1 Module |              | 2 Pole 2 Module |              | 3 Pole 3 Module |              | 4 Pole 4 Module |              |
|------|-------------------|-------------|-----------------|--------------|-----------------|--------------|-----------------|--------------|-----------------|--------------|
| Amps | Breaking Capacity | Reference   | Pack Qty.       | Price £ Each | Pack Qty.       | Price £ Each | Pack Qty.       | Price £ Each | Pack Qty.       | Price £ Each |
| 6A   | 10kA              | DLS6-IB6/P  | 12              | 11.15        | 6               | 32.45        | 4               | 39.75        | 3               | 48.50        |
| 10A  | 10kA              | DLS6-IB10/P | 12              | 11.15        | 6               | 32.45        | 4               | 39.75        | 3               | 48.50        |
| 16A  | 10kA              | DLS6-IB16/P | 12              | 11.15        | 6               | 32.45        | 4               | 39.75        | 3               | 48.50        |
| 20A  | 10kA              | DLS6-IB20/P | 12              | 11.15        | 6               | 32.45        | 4               | 39.75        | 3               | 48.50        |
| 25A  | 10kA              | DLS6-IB25/P | 12              | 11.15        | 6               | 32.45        | 4               | 39.75        | 3               | 48.50        |
| 32A  | 10kA              | DLS6-IB32/P | 12              | 11.15        | 6               | 32.45        | 4               | 39.75        | 3               | 48.50        |
| 40A  | 10kA              | DLS6-IB40/P | 12              | 11.15        | 6               | 32.45        | 4               | 39.75        | 3               | 48.50        |
| 50A  | 10kA              | DLS6-IB50/P | 12              | 12.55        | 6               | 36.75        | 4               | 44.95        | 3               | 53.00        |
| 63A  | 10kA              | DLS6-IB63/P | 12              | 12.55        | 6               | 36.75        | 4               | 44.95        | 3               | 53.00        |

### Miniature Circuit Breakers 'C' Curve (single, double, triple & four pole)

|      |                   |             | 1 Pole 1 Module |              | 2 Pole 2 Module |              | 3 Pole 3 Module |              | 4 Pole 4 Module |              |
|------|-------------------|-------------|-----------------|--------------|-----------------|--------------|-----------------|--------------|-----------------|--------------|
| Amps | Breaking Capacity | Reference   | Pack Qty.       | Price £ Each | Pack Qty.       | Price £ Each | Pack Qty.       | Price £ Each | Pack Qty.       | Price £ Each |
| 4A   | 10kA              | DLS6-IC4/P  | 12              | 11.75        | 6               | 33.85        | 4               | 41.25        | 3               | 53.00        |
| 6A   | 10kA              | DLS6-IC6/P  | 12              | 11.15        | 6               | 32.45        | 4               | 39.75        | 3               | 48.50        |
| 10A  | 10kA              | DLS6-IC10/P | 12              | 11.15        | 6               | 32.45        | 4               | 39.75        | 3               | 48.50        |
| 16A  | 10kA              | DLS6-IC16/P | 12              | 11.15        | 6               | 32.45        | 4               | 39.75        | 3               | 48.50        |
| 20A  | 10kA              | DLS6-IC20/P | 12              | 11.15        | 6               | 32.45        | 4               | 39.75        | 3               | 48.50        |
| 25A  | 10kA              | DLS6-IC25/P | 12              | 11.15        | 6               | 32.45        | 4               | 39.75        | 3               | 48.50        |
| 32A  | 10kA              | DLS6-IC32/P | 12              | 11.15        | 6               | 32.45        | 4               | 39.75        | 3               | 48.50        |
| 40A  | 10kA              | DLS6-IC40/P | 12              | 11.15        | 6               | 32.45        | 4               | 39.75        | 3               | 48.50        |
| 50A  | 10kA              | DLS6-IC50/P | 12              | 12.55        | 6               | 36.75        | 4               | 44.95        | 3               | 53.00        |
| 63A  | 10kA              | DLS6-IC63/P | 12              | 12.55        | 6               | 36.75        | 4               | 44.95        | 3               | 53.00        |

### Miniature Circuit Breakers 'D' Curve (single, double, triple & 4 pole)

|      |                   |             | 1 Pole 1 Module |              | 2 Pole 2 Module |              | 3 Pole 3 Module |              | 4 Pole 4 Module |              |
|------|-------------------|-------------|-----------------|--------------|-----------------|--------------|-----------------|--------------|-----------------|--------------|
| Amps | Breaking Capacity | Reference   | Pack Qty.       | Price £ Each | Pack Qty.       | Price £ Each | Pack Qty.       | Price £ Each | Pack Qty.       | Price £ Each |
| 4A   | 10kA              | DLS6-ID4/P  | 12              | 11.75        | 6               | 33.85        | 4               | 41.25        | 3               | 48.50        |
| 6A   | 10kA              | DLS6-ID6/P  | 12              | 11.15        | 6               | 32.45        | 4               | 39.75        | 3               | 48.50        |
| 10A  | 10kA              | DLS6-ID10/P | 12              | 11.15        | 6               | 32.45        | 4               | 39.75        | 3               | 48.50        |
| 16A  | 10kA              | DLS6-ID16/P | 12              | 11.15        | 6               | 32.45        | 4               | 39.75        | 3               | 48.50        |
| 20A  | 10kA              | DLS6-ID20/P | 12              | 11.15        | 6               | 32.45        | 4               | 39.75        | 3               | 48.50        |
| 25A  | 10kA              | DLS6-ID25/P | 12              | 11.15        | 6               | 32.45        | 4               | 39.75        | 3               | 48.50        |
| 32A  | 10kA              | DLS6-ID32/P | 12              | 11.15        | 6               | 32.45        | 4               | 39.75        | 3               | 48.50        |
| 40A  | 10kA              | DLS6-ID40/P | 12              | 11.15        | 6               | 32.45        | 4               | 39.75        | 3               | 48.50        |
| 50A  | 6kA               | DLS6-ID50/P | 12              | 12.55        | 6               | 36.75        | 4               | 44.95        | 3               | 53.00        |
| 63A  | 6kA               | DLS6-ID63/P | 12              | 12.55        | 6               | 36.75        | 4               | 44.95        | 3               | 53.00        |

**Note:** Substitute '1', '2', '3' or '4' for 'P' in the reference when ordering

### MCBs 'B' Curve 6kA (DLS6)

#### Miniature Circuit Breakers 'B' Curve

##### 1 Pole 1 Module

| Amps | Breaking Capacity | Reference  | Pack Qty. | Price £ Each |
|------|-------------------|------------|-----------|--------------|
| 6A   | 6kA               | DLS-HB6/1  | 12        | 11.15        |
| 10A  | 6kA               | DLS-HB10/1 | 12        | 11.15        |
| 16A  | 6kA               | DLS-HB16/1 | 12        | 11.15        |
| 20A  | 6kA               | DLS-HB20/1 | 12        | 11.15        |
| 25A  | 6kA               | DLS-HB25/1 | 12        | 11.15        |
| 32A  | 6kA               | DLS-HB32/1 | 12        | 11.15        |

### MCB Accessories (DLS6)

#### Auxiliary Switches for DLS6 MCBs

| Modules | Description   | Reference | £ Each |
|---------|---------------|-----------|--------|
| 0.5     | 1 N/O         | DHi-3     | 23.50  |
| 0.5     | 1 N/O + 1 N/C | DHi-4     | 23.50  |
| 0.5     | 1 N/O + 2 N/C | DHi-5     | 23.50  |
| 0.5     | 2 N/O + 1 N/C | DHi-6     | 23.50  |
| 0.5     | 1 C/O         | DHi-7     | 23.50  |
| 0.5     | 2 C/O         | DHi-8     | 23.50  |

#### Fault signalling for DLS6 MCBs

| Modules | Description   | Reference | £ Each |
|---------|---------------|-----------|--------|
| 0.5     | 1 C/O         | DHi-S10   | 23.50  |
| 0.5     | 1 N/O + 1 N/C | DHi-S11   | 23.50  |

#### Shunt trip for DLS6 MCBs

| Modules | Description | Reference | £ Each |
|---------|-------------|-----------|--------|
| 1       | Uc AC =24v  | DASA-24   | 25.00  |
| 1       | Uc AC =230v | DASA-230  | 25.00  |

#### Locking Device for DLS6 MCBs

| Description                          | Reference | £ Each |
|--------------------------------------|-----------|--------|
| Lockable with padlock (not supplied) | DEASS     | 4.90   |

### MCBs 'C' Curve (DMCB2)

#### Single Pole (27mm NON-STANDARD MODULE)

| Standard Module | Poles | Amps | Breaking Capacity | Reference    | Pack Qty. | Price £ Each |
|-----------------|-------|------|-------------------|--------------|-----------|--------------|
| 1.5             | 1     | 80A  | 10kA              | DMCB2-C080/1 | 1         | 46.80        |
| 1.5             | 1     | 100A | 10kA              | DMCB2-C100/1 | 1         | 46.80        |
| 1.5             | 1     | 125A | 7.5kA             | DMCB2-C125/1 | 1         | 46.80        |

#### Double Pole (27mm NON-STANDARD MODULE)

| Standard Module | Poles | Amps | Breaking Capacity | Reference    | Pack Qty. | Price £ Each |
|-----------------|-------|------|-------------------|--------------|-----------|--------------|
| 3               | 2     | 80A  | 10kA              | DMCB2-C080/2 | 1         | 71.10        |
| 3               | 2     | 100A | 10kA              | DMCB2-C100/2 | 1         | 71.10        |
| 3               | 2     | 125A | 7.5kA             | DMCB2-C125/2 | 1         | 71.10        |

#### Triple Pole (27mm NON-STANDARD MODULE)

| Standard Module | Poles | Amps | Breaking Capacity | Reference    | Pack Qty. | Price £ Each |
|-----------------|-------|------|-------------------|--------------|-----------|--------------|
| 4.5             | 3     | 80A  | 10kA              | DMCB2-C080/3 | 1         | 107.40       |
| 4.5             | 3     | 100A | 10kA              | DMCB2-C100/3 | 1         | 107.40       |
| 4.5             | 3     | 125A | 7.5kA             | DMCB2-C125/3 | 1         | 107.40       |

#### Four Pole (27mm NON-STANDARD MODULE)

| Standard Module | Poles | Amps | Breaking Capacity | Reference    | Pack Qty. | Price £ Each |
|-----------------|-------|------|-------------------|--------------|-----------|--------------|
| 6               | 4     | 80A  | 10kA              | DMCB2-C080/4 | 1         | 167.15       |
| 6               | 4     | 100A | 10kA              | DMCB2-C100/4 | 1         | 167.15       |
| 6               | 4     | 125A | 7.5kA             | DMCB2-C125/4 | 1         | 167.15       |

### MCB Accessories (DMCB2)

#### Auxiliary Switch for DMCB2

| Modules | Description   | Reference | £ Each |
|---------|---------------|-----------|--------|
| 0.5     | 1 N/O + 1 N/C | DMCB2-Hi1 | 23.50  |

#### Shunt trip for DMCB2

| Modules | Description                        | Reference  | £ Each |
|---------|------------------------------------|------------|--------|
| 1.0     | Uc AC =110-415v<br>Uc DC =110-230v | DMCB2-ASA1 | 34.85  |

## Arc Fault Detection Devices

### AFDD + RCBO function Two Pole Type A & AKV

| Amps | Sensitivity | Type:               |                     | Price £ Each | Price £ Each |
|------|-------------|---------------------|---------------------|--------------|--------------|
|      |             | Reference 'B' Curve | Reference 'C' Curve |              |              |
| 10   | 30mA        | DAFDD-1.B10/0.03/2- | DAFDD-1.C10/0.03/2- | 137.60       | 150.05       |
| 16   | 30mA        | DAFDD-1.B16/0.03/2- | DAFDD-1.C16/0.03/2- | 137.60       | 150.05       |
| 20   | 30mA        | DAFDD-1.B20/0.03/2- | DAFDD-1.C20/0.03/2- | 137.60       | 150.05       |
| 25   | 30mA        | DAFDD-1.B25/0.03/2- | DAFDD-1.C25/0.03/2- | 137.60       | 150.05       |
| 32   | 30mA        | DAFDD-1.B32/0.03/2- | DAFDD-1.C32/0.03/2- | 137.60       | 150.05       |
| 40   | 30mA        | DAFDD-1.B40/0.03/2- | DAFDD-1.C40/0.03/2- | 137.60       | 150.05       |

**Note: Add 'A' or 'AKV' to the reference when ordering (B & C curve devices are the same price.)**

**Isolators Metal IP65**

| Amps | Poles | Reference | IP rating | Price £ Each |
|------|-------|-----------|-----------|--------------|
| 20   | 3P+N  | AS-3020   | IP65      | 85.70        |
| 32   | 3P+N  | AS-3032   | IP65      | 88.05        |
| 63   | 3P+N  | AS-3063   | IP65      | 104.55       |
| 100  | 3P+N  | AS-3100   | IP65      | 141.55       |
| 160  | 3P+N  | AS-3160   | IP65      | 225.00       |
| 200  | 3P+N  | AS-3200   | IP65      | 274.15       |
| 250  | 3P+N  | AS-3250   | IP65      | 433.55       |
| 400  | 3P+N  | AS-3400   | IP65      | 669.75       |
| 630  | 3P+N  | AS-3630   | IP65      | 914.05       |

**Switchfuses Metal IP65**

| Amps | Poles | Reference | IP rating | Price £ Each |
|------|-------|-----------|-----------|--------------|
| 20   | 3P+N  | ASF-3020  | IP65      | 128.80       |
| 32   | 3P+N  | ASF-3032  | IP65      | 147.55       |
| 63   | 3P+N  | ASF-3063  | IP65      | 189.05       |
| 100  | 3P+N  | ASF-3100  | IP65      | 319.20       |
| 160  | 3P+N  | ASF-3160  | IP65      | 435.65       |
| 200  | 3P+N  | ASF-3200  | IP65      | 556.75       |
| 250  | 3P+N  | ASF-3250  | IP65      | 1025.45      |
| 400  | 3P+N  | ASF-3400  | IP65      | 1138.10      |
| 630  | 3P+N  | ASF-3630  | IP65      | 2026.60      |

**Spreader Kits**

| Reference | Suitable for             | Price £ Each |
|-----------|--------------------------|--------------|
| AX-02     | AS/ASF 160-400A, AS-3630 | 110.00       |
| AX-04     | ASF-3630                 | 345.30       |

**Auxiliary Contacts**

| Reference | Suitable for                              | Price £ Each |
|-----------|-------------------------------------------|--------------|
| OA1G10    | AS-3020 to AS-3630 & ASF-3032 to ASF-3630 | 12.45        |
| OA4B10    | ASF-3020                                  | 15.00        |

**18th Edition Consumer Units - Metal****SPLIT LOAD - Dual RCCB (Type A)**

| Isolator Rating | RCCB 1 Rating | RCCB 2 Rating | Usable Ways | METAL Reference | Price £ Each |
|-----------------|---------------|---------------|-------------|-----------------|--------------|
| 100A            | 63A 30mA      | 63A 30mA      | 8           | DCM08SL/063/063 | 134.75       |
| 100A            | 63A 30mA      | 63A 30mA      | 12          | DCM12SL/063/063 | 160.40       |
| 100A            | 63A 30mA      | 63A 30mA      | 18          | DCM18SL/063/063 | 174.10       |
| 100A            | 63A 30mA      | 63A 30mA      | 22          | DCM22SL/063/063 | 184.90       |

**SPLIT LOAD - Dual RCCB (Type A/F)**

| Isolator Rating | RCCB 1 Type A | RCCB 2 Type F | Usable Ways | METAL Reference     | Price £ Each |
|-----------------|---------------|---------------|-------------|---------------------|--------------|
| 100A            | 63A 30mA      | 63A 30mA      | 8           | DCM08SL/063/063-A/F | 204.90       |
| 100A            | 63A 30mA      | 63A 30mA      | 12          | DCM12SL/063/063-A/F | 225.70       |

**SPLIT LOAD - Single RCCB (Type A)**

| Isolator Rating | RCCB Rating | Total Ways | METAL Reference | Price £ Each |
|-----------------|-------------|------------|-----------------|--------------|
| 100A            | 63A 30mA    | 6          | DCM06SL/063     | 90.95        |
| 100A            | 63A 30mA    | 10         | DCM10SL/063     | 105.45       |
| 100A            | 63A 30mA    | 14         | DCM14SL/063     | 123.00       |

**RCCB (Type A) as main switch**

| RCCB Type AC Rating | Total Ways | METAL Reference | Price £ Each |
|---------------------|------------|-----------------|--------------|
| 63A 30mA            | 4          | DCMR04/063      | 70.30        |
| 100A 30mA           | 4          | DCMR04/100      | 86.25        |
| 63A 30mA            | 8          | DCMR08/063      | 85.50        |
| 100A 30mA           | 8          | DCMR08/100      | 101.00       |
| 100A 30mA           | 12         | DCMR12/100      | 107.05       |
| 100A 30mA           | 16         | DCMR16/100      | 116.90       |
| 100A 30mA           | 22         | DCMR22/100      | 132.50       |
| 100A 30mA           | 26         | DCMR26/100      | 144.80       |



## 18th Edition Cons/Units - Metal

### ISOLATOR as main switch

| Isolator Rating | Total Ways | METAL Reference | Price £ Each |
|-----------------|------------|-----------------|--------------|
| 100A            | 4          | DCM04           | 64.60        |
| 100A            | 8          | DCM08           | 68.90        |
| 100A            | 12         | DCM12           | 77.20        |
| 100A            | 16         | DCM16           | 90.50        |
| 100A            | 22         | DCM22           | 99.75        |
| 100A            | 26         | DCM26           | 113.15       |

### Conversion kit - to 2P RCBOs for DCM26

| Reference    | Price £ Each |
|--------------|--------------|
| DCM26-2PRCBO | 28.60        |

## Garage Units - IP2X

### Garage Units

### Metal IP2X

| RCCB Type AC Rating | Outgoing 1 | MCB Ratings 2 | Reference | Price £ Each |
|---------------------|------------|---------------|-----------|--------------|
| 40A 30mA            | 16A        | 6A            | DGU1.MP2X | 80.10        |

## Modular Enclosures

with Neutral & Earth terminals and DIN Rail (except DIME 2)

### Insulated Modular Enclosures

| Modules | IP Rating | Reference | £ Each |
|---------|-----------|-----------|--------|
| 2       | IP 30     | DIME 2    | 3.30   |
| 4       | IP 30     | DIME 4    | 6.80   |
| 3       | IP 55     | DIMEF 3   | 15.45  |
| 4       | IP 55     | DIMEF 4   | 18.40  |
| 8       | IP 55     | DIMEF 8   | 33.75  |
| 12      | IP 55     | DIMEF12   | 49.30  |
| 18      | IP 55     | DIMEF18   | 77.15  |
| 24      | IP 55     | DIMEF2/24 | 84.50  |
| 36      | IP 55     | DIMEF2/36 | 107.20 |
| 54      | IP 55     | DIMEF3/54 | 135.20 |

### Metal Modular Enclosures

| Modules | IP Rating | Reference | Price £ Each |
|---------|-----------|-----------|--------------|
| 4       | IP 20     | DMMEX 4   | 41.25        |
| 6       | IP 20     | DMMEX 6   | 47.05        |
| 10      | IP 20     | DMMEX 10  | 49.80        |

## Wiring Accessories

### Busbars -70 Amp (end feed)

| Product            | Ways | Reference   | Price £ Each |
|--------------------|------|-------------|--------------|
| Forked Single Pole | 2    | EV.S.G.1.2  | 1.95         |
| Forked Single Pole | 3    | EV.S.G.1.3  | 2.30         |
| Forked Single Pole | 6    | EV.S.G.1.6  | 2.60         |
| Forked Single Pole | 12   | EV.S.G.1.12 | 5.25         |

### Busbars -63 Amp (central feed = 120A)

| Product            | Ways | Reference   | Price £ Each |
|--------------------|------|-------------|--------------|
| Forked Double Pole | 2    | EV.S.G.2.4  | 2.60         |
| Forked Double Pole | 3    | EV.S.G.2.6  | 3.20         |
| Forked Double Pole | 4    | EV.S.G.2.8  | 3.75         |
| Forked Double Pole | 6    | EV.S.G.2.12 | 6.25         |
| Forked Triple Pole | 2    | EV.S.G.3.6  | 5.80         |
| Forked Triple Pole | 3    | EV.S.G.3.9  | 7.20         |
| Forked Triple Pole | 4    | EV.S.G.3.12 | 8.40         |
| Forked Four Pole   | 2    | EV.S.G.4.8  | 7.80         |
| Forked Four Pole   | 3    | EV.S.G.4.12 | 9.15         |

### Busbars -80 Amp (1m cut-to-length)

| Description          | Ways | Reference        | Price £ Each |
|----------------------|------|------------------|--------------|
| L1+N, L2+N, L3+N     | 54   | GM.3.54.130/16/N | 76.75        |
| L1, L2, L3, N        | 56   | GM.3.56.130/16   | 73.00        |
| End Cap for GM.3.... | N/A  | EK-4             | 1.60         |

### Terminals

| Product         | Rating                 | Reference | Price £ Each |
|-----------------|------------------------|-----------|--------------|
| Forked Terminal | 70A 25mm <sup>2</sup>  | AS/25.G   | 1.45         |
| Prong Terminal  | 70A 25mm <sup>2</sup>  | AS/25.S   | 1.45         |
| Interlocking    | 150A 35mm <sup>2</sup> | ES/35.G   | 4.20         |

### Blanks

| Type            | Size/Qty   | Reference | Price £ Each |
|-----------------|------------|-----------|--------------|
| Module Blanking | 6 Module   | BLANKSW   | 1.40         |
| Phase Position  | Strip of 5 | EV-S-BS   | 2.55         |

### Neutral/Earth Bars

| Type        | Ways | Reference | Price £ Each |
|-------------|------|-----------|--------------|
| Blue N-bar  | 7    | LK/N7     | 3.85         |
| Blue N-bar  | 12   | LK/N12    | 6.00         |
| Green E-bar | 7    | LK/S7     | 3.85         |
| Green E-bar | 12   | LK/S12    | 6.00         |



**Modular Contactors****Contactors**

| Voltage | Amps | Modules | Reference | Price £ Each |
|---------|------|---------|-----------|--------------|
| 230     | 20   | 1       | HS20-02   | 22.95        |
| 230     | 20   | 1       | HS20-11   | 22.95        |
| 230     | 20   | 1       | HS20-20   | 22.95        |
| 230     | 25   | 2       | HS25-04   | 38.20        |
| 230     | 25   | 2       | HS25-22   | 38.20        |
| 230     | 25   | 2       | HS25-31   | 38.20        |
| 230     | 25   | 2       | HS25-40   | 38.20        |
| 230     | 40   | 3       | HS40-04   | 77.50        |
| 230     | 40   | 2       | HS40-20s  | 57.85        |
| 230     | 40   | 3       | HS40-22   | 77.50        |
| 230     | 40   | 3       | HS40-31   | 77.50        |
| 230     | 40   | 3       | HS40-40   | 77.50        |
| 230     | 63   | 2       | HS63-20s  | 73.50        |
| 230     | 63   | 3       | HS63-22   | 95.70        |
| 230     | 63   | 3       | HS63-31   | 95.70        |
| 230     | 63   | 3       | HS63-40   | 95.70        |

**Contactor Accessories****Auxiliary Switch for HS Contactors**

| Modules | Description   | Reference | £ Each |
|---------|---------------|-----------|--------|
| 0.5     | 1 N/O + 1 N/C | HS11      | 16.40  |

**Control****Time Switches****Time Switches (electromechanical)**

| Switching | Max. Load |           |         | Modules | Reference | Price £ Each |
|-----------|-----------|-----------|---------|---------|-----------|--------------|
|           | Resistive | Inductive | Reserve |         |           |              |
| 24 Hour   | 16A       | 4A        | No      | 1       | UNO-D     | 35.35        |
| 24 Hour   | 16A       | 4A        | Yes     | 1       | UNO-QRD   | 42.00        |
| 7 Day     | 16A       | 4A        | Yes     | 1       | UNO-QRS   | 46.45        |

**Time Switches (electronic with power reserve)**

| Switching       | Max. Load |           | Storage Locations | Modules | Reference    | Price £ Each |
|-----------------|-----------|-----------|-------------------|---------|--------------|--------------|
|                 | Resistive | Inductive |                   |         |              |              |
| 24 Hour & 7 Day | 16A       | 10A       | 32                | 2       | DATAMICRO    | 59.65        |
| 24 Hour & 7 Day | 16A       | 10A       | 64                | 2       | DATAMICRO2   | 72.10        |
| 24 Hour & 7 Day | 16A       | 10A       | 64                | 2       | DTSW-ASTRO-1 | 65.50        |

**Main Switches****Main Switches (AC22a)**

| Amps | Poles | Modules | Reference | Price £ Each |
|------|-------|---------|-----------|--------------|
| 100  | 2     | 2       | DHS 2-100 | 15.50        |
| 125  | 2     | 2       | DHS 2-125 | 38.30        |
| 100  | 4     | 4       | DHS 4-100 | 39.50        |
| 125  | 4     | 4       | DHS 4-125 | 50.75        |

**Main Switches (AC23a)**

| Amps | Poles | Modules | Reference  | Price £ Each |
|------|-------|---------|------------|--------------|
| 100  | 2     | 2       | RH 100-200 | 15.50        |
| 100  | 3     | 3       | RH 100-300 | 17.15        |
| 100  | 4     | 4       | RH 100-400 | 38.25        |

**Main Switch Accessories****Terminal Covers for Main Switches**

| Modules | Description   | Reference | £ Each |
|---------|---------------|-----------|--------|
| 2       | 2 pole DHS    | KA-DFS2   | 0.36   |
| 4       | 4 pole DHS    | KA-DFS4   | 0.36   |
| 1       | 1 per pole RH | RH-KA     | 0.31   |

**Twilight Switches****Wall Mounting Twilight Switch**

Rating:16A

| Colour     | Adjustable Timer | Lux Level | Reference             | Price £ Each |
|------------|------------------|-----------|-----------------------|--------------|
| White      | No               | 1-200     | DASY-016-2-230V-WE    | 33.85        |
| Anthracite | No               | 1-200     | DASY-016-2-230V-AN    | 33.85        |
| White      | No               | 10-1000   | DASY-016-2.1-230V-WE  | 33.85        |
| White      | Yes              | 1-200     | DASY-016-2-230V-TC-WE | 37.15        |
| Anthracite | Yes              | 1-200     | DASY-016-2-230V-TC-AN | 37.15        |

**Transformers****Doorbell Transformers**

| Voltage  | Amps      | Modules | Reference | Price £ Each |
|----------|-----------|---------|-----------|--------------|
| 8V       | 1         | 2       | RK81      | 28.00        |
| 4/8/12V  | 3/2/2     | 3       | RK3U      | 29.10        |
| 4/8/12V  | 2/2/1.5   | 3       | RK12      | 32.45        |
| 8/12/24V | 2/1.3/0.6 | 3       | RK24      | 38.30        |



## Residual Current Monitors

### Residual Current Monitoring Relay - Type A

| Modules | Contacts<br>C/O | Setting<br>range | Reference | Price<br>£ Each |
|---------|-----------------|------------------|-----------|-----------------|
| 4       | 2               | 0.03A < 3A       | DRCM 1 A  | 267.30          |

### Residual Current Monitoring Relay - Type B

| ID in mm | Contacts<br>C/O | Fixed<br>Range | Reference            | Price<br>£ Each |
|----------|-----------------|----------------|----------------------|-----------------|
| 20       | 1               | 0.3A           | DCTR B NK 020/0.30-I | 557.45          |
| 35       | 1               | 0.3A           | DCTR B NK 035/0.30-I | 700.95          |
| 70       | 1               | 0.3A           | DCTR B NK 070/0.30-I | 774.80          |

### Residual Current Transformers Type A

| Description              |                         |  | Reference | Price<br>£ Each |
|--------------------------|-------------------------|--|-----------|-----------------|
| For use with<br>DRCM 1 A | Internal Diameter 20mm  |  | DCT A-020 | 79.05           |
|                          | Internal Diameter 35mm  |  | DCT A-035 | 125.85          |
|                          | Internal Diameter 70mm  |  | DCT A-070 | 143.50          |
|                          | Internal Diameter 105mm |  | DCT A-105 | 176.80          |



DCT A-035

## Earth Leakage Relays & Transformers (Control)

### Earth Leakage Relays

| Description                          | Reference  | Price<br>£ Each |
|--------------------------------------|------------|-----------------|
| Built-in 35mm toroidal transformer   | ELRC-1/35  | 219.40          |
| Built-in 60mm toroidal transformer   | ELRC-1/60  | 232.30          |
| Built-in 80mm toroidal transformer   | ELRC-1/80  | 254.20          |
| Built-in 110mm toroidal transformer  | ELRC-1/110 | 268.40          |
| Remote transformer, DIN-rail mounted | ELR-3C     | 178.10          |
| Remote transformer, DIN-rail mounted | ELR-3E1    | 178.10          |
| Remote transformer, Panel mounted    | ELR-7      | 196.25          |

### Toroidal Transformers

| Description                                |                         |          | Reference | Price<br>£ Each |
|--------------------------------------------|-------------------------|----------|-----------|-----------------|
| For use with Remote<br>Transformer Devices | Internal Diameter 35mm  | CT-1/35  | 59.30     |                 |
|                                            | Internal Diameter 60mm  | CT-1/60  | 71.00     |                 |
|                                            | Internal Diameter 80mm  | CT-1/80  | 86.40     |                 |
|                                            | Internal Diameter 110mm | CT-1/110 | 100.65    |                 |
|                                            | Internal Diameter 160mm | CT-1/160 | 267.10    |                 |
|                                            | Internal Diameter 210mm | CT-1/210 | 281.35    |                 |

## Residual Current Analyser

### Residual Current Analysis Set

| Int CT<br>D in mm | Rated<br>current | Measurement<br>Range | Reference | Price<br>£ Each |
|-------------------|------------------|----------------------|-----------|-----------------|
| 70                | 200A             | 10Hz < 100kHz        | DRCA-1SET | 2534.50         |

### Separate CTs for Current Analysis Set

| Int CT<br>D in mm | Rated<br>current | Measurement<br>Range | Reference    | Price<br>£ Each |
|-------------------|------------------|----------------------|--------------|-----------------|
| 70                | 200A             | 10Hz < 100kHz        | DRCA-1-CT070 | 330.70          |
| 105               | 250A             | 10Hz < 100kHz        | DRCA-1-CT105 | 485.70          |
| 140               | 350A             | 10Hz < 100kHz        | DRCA-1-CT140 | 751.90          |



DRCA-1-SET



## Terms and Conditions of Sale

### TERMS

Strictly nett. In the event of default in payment by the customer in accordance with agreed terms the Company shall be entitled to suspend all deliveries without notice.

### NEW ACCOUNTS

Prospective customers wishing to open accounts should apply on the appropriate application form, acknowledging these Terms and Conditions. Until such time as an account has been opened goods will only be supplied if a remittance accompanies the order for the goods.

### PRICES

(a) Unless otherwise agreed by us in writing, all prices stated are those ruling at the date of quotation or acceptance of the order and will be subject to adjustment to the prices ruling at the date of despatch.

(b) Prices shown do not include VAT, which will be shown on invoices as a separate charge at the appropriate rate.

### MINIMUM INVOICE VALUE

The minimum invoice value is £10.00 excluding VAT and any carriage charges.

### DELIVERY/DESPATCH

(a) A Carriage Charge will normally be applied to most orders to UK mainland destinations by our normal transport arrangements. The sales office may waive the Carriage Charge for orders of high net invoice value. Carriage charges for orders to other destinations will be quoted according to destination, weight and volume.

(b) Whilst we endeavour to maintain delivery dates, it is a condition that we shall not be liable for damages (direct, consequential or otherwise) for late delivery, nor under any other liability in respect thereto.

### CLAIMS

Written notification for claims regarding shortages, non-delivery or damage to goods to be submitted within 5 days from date of delivery, otherwise no liability will be accepted by the Company.

### RETURN OF GOODS

The return of goods will only be accepted by prior agreement and must be carriage paid. A handling charge will be payable.

### PACK QUANTITIES

We reserve the right to supply in pack quantities as detailed in our price list ruling at date of despatch and therefore round orders to the nearest pack quantity above the quantity ordered.

### PACKING

Cartons are not charged and are non-returnable.

### PATENTS

(a) Some products in the catalogue are protected by British patents and Registered Designs. It is not possible in all cases to mark each component. Box labels will however contain any relevant information.

(b) The Purchaser shall indemnify us against all damages, penalties, costs and expenses to which we have become liable as a result of work done in accordance with Purchaser's specifications or designs which involves or is alleged to involve the infringement of any copyright, letters patent, patent rights or registered design or similar rights.

### HEALTH AND SAFETY AT WORK ACT 1974

Statements to Purchasers and Prospective Purchasers

Section 6 of the Act provides that the manufacturers, designers, importers or suppliers of articles for use at work shall have a duty to ensure, so far as is reasonably practicable, that the article will be safe and without risk to health when properly used. An article is not regarded as being "properly used" if it is used without regard to any relevant information or advice relating to its use made available by the manufacturer, designer, importer or supplier.

### PRODUCT LIABILITY

(a) The Purchaser relies on his own skill and judgement as to the suitability of all goods offered and supplied for any particular purpose or for use under any specific conditions.

(b) In the event of any article supplied proving defective in material or workmanship, within a twelve month period we undertake to replace or repair this free of charge, which shall be the limit of our responsibility. We do not accept liability for any other costs, direct or indirect arising from such defective goods. Defective goods are to be returned to ourselves for investigation purposes if we so request.

### RISK AND TITLE

1. The goods shall remain the sole and absolute property of the Company until such times as the buyer shall have paid to the Company the purchase price together with the full price that is outstanding of any other goods the subject of any other Contract between the buyer and the Company. The buyer acknowledges that he is in possession of the goods solely as Bailees for the Company until such time as the full price is paid thereof to the Company together with the full price outstanding of any other goods the subject of any other Contract between the Company and the buyer. The buyer agrees that until such time as he becomes the owner of the goods, he will store them in a manner which makes them readily identifiable as the goods of the Company. The buyer's rights to possession of the goods shall cease if he, not being a Company commits an act of bankruptcy or if he, being a Company does anything or fails to do anything which would entitle the receiver to take possession of any assets or which would enable any person to represent a Petition for Winding up. The Company may for the purposes of recovery of its goods enter upon any premises where they are stored or where they are reasonably thought to be stored and then re-possess the same.

Subject to the terms hereof the buyer is licensed by the Company to agree to sell on the Company's goods subject to the express condition that such an agreement to sell shall take place as agents and Bailees for the Company whether the buyer sells on his own account or not and that the entire proceeds thereof are held in trust for the Company and shall be at all times identifiable as the Company's monies. If the buyer has not received the proceeds of any such sale he may be called upon to do so by the Company and will within seven days thereof assign to the Company all right relating to payment against the person or persons to whom he has supplied the Company's goods.

2. All invoiced goods remain the property of Doepke UK Limited until payment is received in full.

# Doepke UK Ltd

is a subsidiary of:

**Doepke Schaltgeräte GmbH**  
**Stellmacherstraße 11**  
**26506 Norden, Germany**

# Doepke

*The safest way to use electricity*



**Circuit Protection**



**Distribution Equipment**



**Power Switching**



**Control**

**Doepke UK Ltd**

3, Bentley Way  
Royal Oak Industrial Estate  
Daventry, Northants. NN11 8QH

Tel: 01628 829133 Fax: 01327 878749

Website: [www.doepke.co.uk](http://www.doepke.co.uk)



**Monitoring**